





Digitized by the Internet Archive in 2011 with funding from LYRASIS members and Sloan Foundation

Connecticut Agricultural Experiment Station

NEW HAVEN, CONN.

BULLETIN 204

FEBRUARY, 1918

Fertilizer Report for 1917

By E. H. JENKINS, Director and JOHN PHILLIPS STREET, Chemist In Charge of the Analytical Laboratory

CONTENTS

						Lago
Raw	Materials	Chiefly	Valuable	for	Nitrogen	375
					Phosphoric Acid	
**	"	**	. "	**	Potash	383
**	**	**	**	"	Nitrogen and Phosphoric Acid	384
Nitro	genous Fe	rtilizers,	Factory	Mix	ced	386
Misc	ellaneous I	Fertilizer	s			416

The Bulletins of this Station are mailed free to citizens of Connecticut who apply for them, and to others as far as the editions permit.

CONNECTICUT AGRICULTURAL EXPERIMENT STATION.

OFFICERS AND STAFF.

BOARD OF CONTROL.

His Excellen	cy, Marcus H. Holcomb, ex-officio, President.							
	James H. Webb, Vice President							
	George A. Hopson, Secretary							
E. H. Jenkins, Direc	ctor and TreasurerNew Haven							
Joseph W. Alsop	Avon							
Wilson H. Lee	Orange							
Elijah Rogers	Southington							
Administration.	E. H. JENKINS, Ph.D., Director and Treasurer. MISS V. E. COLE, Librarian and Stenographer. MISS L. M. BRAUTLECHT, Bookkeeper and Stenographer. WILLIAM VEITCH, In charge of Buildings and Grounds.							
Chemistry. Analytical Laboratory.	*John Phillips Street, M.S., Chemist in charge. E. Monroe Balley, Ph.D., C. B. Morison, B.S., C. E. Shepard, M. D'Esopo, Ph.B. Hugo Lange, Laboratory Helper. V. L. Churchill, Sampling Agent.							
Protein Research.	T. B. OSBORNE, Ph.D., D.Sc., Chemist in Charge. MISS E. L. FERRY, M.S., Assistant.							
Botany.	G. P. CLINTON, Sc.D Botanist. E. M. STODDARD, B.S., Assistant Botanist. MISS F. A. McCormick, Ph.D., Scientific Assistant. G. E. Graham, General Assistant.							
Entomology. W. E. Britton, Ph.D., Entomologist; State Entomologist B. H. Walden, B.Agr., First Assistant. Q. S. Lowry, B.Sc., I. W. Davis, B.Sc., Assistants. M. P. Zappe, B.S., Miss G. A. Foote, B.A., Stenographer.								
Forestry Walter O. Filley, Forester; also State Forester and State Forest Fire Wards A. E. Moss, M.F., Assistant State and Station Forester. Miss E. L. Avery, Stenographer.								
Plant Breeding.	DONALD F. JONES, M.S., Plant Breeder. C. D. HUBBELL, Assistant.							
Vegetable Growing. W. C. Pelton, B.S.								

^{*} Absent on leave, In U. S. Service.

Report on Commercial Fertilizers, 1917.

By E. H. Jenkins, Director, and John Phillips Street, Chemist in Charge of the Analytical Laboratory.

During 1917 forty-four individuals and firms have entered for sale in this state 410 brands of fertilizers classified as follows:

Nitrogenous superphosphates with potash	167
Nitrogenous superphosphates without potash	160
Bone manures and tankage	
Fish, blood, castor pomace and chemicals	49
•	
Total	410

During the spring months V. L. Churchill, the sampling agent of the Station, visited about 100 towns and villages of the state and gathered samples of commercial fertilizers. These represented all the brands registered with the exception of the following:

Alpha Portland Cement Co.'s Alpha Potash-Lime Fertilizer; American Agricultural Chemical Co.'s Dissolved Acid Phosphate, H. G. Acid Phosphate, Grain and Seeding Fertilizer, Odorless Grass and Lawn Top Dressing Revised, Monarch Potato Manure, Great Harvest Potato Special, Lion Brand Potato Manure, Bradley's Eclipse Phosphate 1916, Bradley's Extra Potato and Root Special, Bradley's Northland Potato Grower, Bradley's Complete Manure for Top Dressing Grass and Grain, Bradley's Triplex Potato Special, East India Economizer Phosphate 1916, East India Pilgrim Fertilizer 1916, East India Mayflower 1916, Quinnipiac Corn Manure 1916, Quinnipiac Phosphate 1916, Williams and Clark's Royal Phosphate 1916, Williams and Clark's Matchless Fertilizer 1916; Apothecaries Hall Co.'s Victor Corn Phosphate; Bowker's Superphosphate with Ammonia 1%, Stockbridge Complete, Potato Phosphate 1916, Complete Alkaline Tobacco Grower 1916; Clark's Special Mixture; Coe Mortimer's Extra Special Potato Fertilizer Revised, 12% Blood Tankage; James' Ground Bone; Lister's Buyer's Choice Acid Phosphate, Valley

Brand Fertilizer 1916, Celebrated Tobacco Fertilizer; Manchester's 14% Acid Phosphate, Fine Ground Bone, Ground Tankage 9-20; National Ammoniated Phosphate 1916, Excelsior Potato Fertilizer, H. G. Top Dressing 1916.

A sample of the American Agricultural Chemical Co.'s Grain and Seeding Fertilizer, sent by a purchaser, was analyzed.

CLASSIFICATION OF FERTILIZERS ANALYZED. 1. Containing nitrogen as the chief active ingredient: Nitrate of soda..... Cotton seed meal..... 95 2. Containing phosphoric acid as the chief active ingredient: Basic lime phosphate..... Precipitated bone phosphate..... Precipitated phosphate..... I Acid phosphate..... 17 Phospho plaster..... Barium phosphate..... 3. Containing potash as the chief active ingredient: Muriate of potash..... 3 Cotton hull ashes..... 4. Containing nitrogen and phosphoric acid: Fish manures..... 12 Tankage..... 13 Bone manures..... 2 I 5. Mixed fertilizers: Nitrogenous superphosphates with potash...... 147 Nitrogenous superphosphates without potash...... 198 6. Miscellaneous fertilizers and waste products: Sheep manure..... Wood ashes.... 20 Household wastes..... 28 Limestone..... 5 Miscellaneous..... 29

I. RAW MATERIALS CHIEFLY VALUABLE FOR NITROGEN.

NITRATE OF SODA, OR SODIUM NITRATE.

As offered in the Connecticut market this year, nitrate of soda has contained an average of 15.44 per cent. of nitrogen, equivalent to 93.6 per cent. of pure sodium nitrate.

The following nine samples were analyzed:

- 9364. Sold by Apothecaries Hall Co., Waterbury. Sampled at factory.
- 8944. Sold by Sanderson Fertilizer & Chemical Co., New Haven. Stock of C. R. Treat, Orange.
- 8947. Sold by Wilcox Fertilizer Co., Mystic. Sampled at factory.
- 9333. Sold by Coe-Mortimer Co., New York City. Stock of J. E Stoddard, Abington.
- **9331.** Sold by Berkshire Fertilizer Co., Bridgeport. Stock of C. Buckingham, Southport.
- 8939. Sold by American Agricultural Chemical Co., New York City. Stock of G. S. Phelps & Co., Thompsonville.
- 9352. Sold by L. T. Frisbie Co., New Haven. Sampled at factory.
- 8942. Sold by Nitrate Agencies Co., New York City. Stock of E. B. Palmer, Bridgeport.
- **9361.** Sold by F. S. Royster Guano Co., Baltimore, Md. Stock of A. W. Anderson, Northford.

ANALYSES OF NITRATE OF SODA.

Station No....... 9364 8944 8947 9333 9331 8939 9352 8942 9361 Per cent. of

Nitrogen guaranteed. 15.00 15.00 15.00 14.80 15.00 15.00 15.00 15.00 Nitrogen found. 15.52 15.20 15.48 15.44 15.32 15.34 15.34 15.56 15.78 Cost per ton. \$70.00 70.00 73.00 85.00 88.00 90.00 90.00 Nitrogen costs cents

per pound...... 22.6 23.0 23.6 23.6 27.7 28.7 29.3 28.5

The cost of nitrogen in nitrate of soda in small lots at retail has been on the average 26 cents per pound, 1 1-2 cents more than last year, and 9 or 10 cents more than in 1915.

The supply has been so small, however, and the rise in price as the season advanced has been so rapid that average figures have little significance.

COTTON SEED MEAL.

Ninety-five samples of this material, bought for use as a fertilizer, have been tested. Most of the samples represent car lots.

Of the 69 samples which came to the laboratory with guaranties, 26 contained the claimed amount of nitrogen and require no detailed report here. On the other hand, 43, or 62 per cent. of the guaranteed samples, were deficient in nitrogen. The analyses of these samples are given in the table.

The deficiencies were not quite so great in amount as last year ranging from 0.10 to 0.81 per cent., with an average in the 43 samples of 0.30 per cent. Based on the average cost of nitrogen in cotton seed meal, as determined below, these deficiencies would warrant a rebate of from 53 cents to \$4.29 per ton, a considerable item when the meal is purchased in car lots.

The ninety-five samples contained from 5.37 to 7.20 per cent. of nitrogen, with an average of 6.10 per cent. The average cost per ton, in the 79 samples where the price was furnished, was \$44.20, about \$5.50 higher than last year.

Assuming 2.9 and 1.9 as the respective percentages of phosphoric acid and potash in the meal, if they are valued at 4 cents and 25 cents per pound, respectively, the nitrogen of cotton seed meal in the ninety-five samples cost on the average 26.5 cents per pound, 5.6 cents higher than last year. This is equivalent to \$5.30 per unit.

Most of the purchasers report that where the nitrogen in the meal was less than guaranteed they had little difficulty in securing rebates.

In our judgment the rebates did not fully compensate for the deficiency where not more that \$4.00 per unit was allowed. Certainly, at present prices of meal, \$5.30 per unit is none too high a rebate.

COTTON SEED MEALS BELOW GUARANTY.

		,	Per o Nitr	cent. ogen.		
Station No.	Manufacturer or Jobber, Car No. or Marks.	Purchased, Sampled, or Sent by	Found.	Guaranteed.	Cost per ton.	
8746 8747 8748	Apothecaries Hall Co., Waterbury. 17264	K. C. Kulle, Suffield	5.70	6.17	39.00	
9337 8888 8743 8744 8745	F. W. Brode & Co., Memphis. 77066. 36777. 26551.	E. N. Austin, Suffield K. C. Kulle, Suffield	5.92 5.86 6.07	6.38 6.17 6.17	43.00 43.00 39.00 39.00 39.00	
9205	E. Crosby & Co., Brattle- boro, Vt.	Farmers' Co-op. Asso., Woodstock.				
9105 8750	27351 S. P. Davis, Little Rock, Ark.	D. J. Sullivan, Suffield S. F. Brown, Windsor				
8805		R. Smith, Poquonock	5.69	6.17	39.00	
9102	Rodney J. Hardy & Sons R. S. 5	Geo. S. Phelps & Co., Thompson-ville	5 · 55	5.76	46.00	
9252 9112 9111 9110 9108 9107 9106 9103 9022 8847 8781 8761	Humphreys-Godwin Co. 105511 50492 171212 5136 84575 45934 240265 45240 98855 14575 13556 37750 1550565	E. S. Seymour, Suffield. Spencer Bros., Suffield. " " " " " " " " " " " " " " " " " "	5.95 5.37 6.02 5.84 5.96 5.97 5.75 6.04 6.44	6.18 6.18 6.18 6.18 6.18 6.17 6.17 6.17	43.00 43.00 43.00 44.75 44.75 43.00 44.00 39.00 50.00	

COTTONSEED MEALS BELOW GUARANTY.—Continued.

				Per ce Nitro		
Station No.	Manufacturer or Jobber, Car No. or Marks.				Guaranteed.	Cost per ton.
9046		Amer. Sumatra Tob. Co., F	Iartford 6.	.05	5.17	
8780	J. E. Soper Co., Boston. 20769	Spencer Bros., Suffield	5 ·	986	5.18	\$39.00
9163 9164 9013 9014 9015 9016 9017 9012 8823 8824 8802	Memphis. 28087. 60770. 133895. 24948. 151067. 151064. 151049. 151072. 36238. 151059. 16002.	Conn. Tobacco Corp., Silv "" " " " " " " " " " " " " " " " " "	" 5. " 5. " 5. " 5. " 5.	92 6 81 6 78 6 78 6 78 6 78 6 91 6 01 6	5.17 5.17 5.17 5.17 5.17 5.17 5.17 5.17	44.50 44.50 44.50 44.50 44.50 44.50 44.50 44.50
9158		John Sullivan & Son, Suffic	eld6.	00 6	5.17	42.50
9458 9459 9460	Virginia-Carolina Chem. Co. N. Y. City. 27871	Conn. Tobacco Corp., Silv	" 5.	46 42 52 52	. 76	46.00 46.00 46.00

CASTOR POMACE. .

This is a residue from the manufacture of castor oil and is used chiefly as a tobacco fertilizer. Experience indicates that it is a little slower in its action than cotton seed meal and that it gives a somewhat heavier quality to the tobacco leaf. Stock will eat it greedily if they have the chance, but it is extremely poisonous.

The following eight samples were analyzed:

8940. Sold by American Agricultural Chemical Co., New York City. Stock of C. F. Allen, Warehouse Point.

8871. Sold by Apothecaries Hall Co., Waterbury. Sampled and sent by Karl C. Kulle, Suffield.

9330. Sold by Apothecaries Hall Co., Waterbury. Stock of W. J. Reeves, Windsorville.

9350. Sold by Baker Castor Oil Co., New York City. Stock of Olds & Whipple, Hartford.

9332. Sold by Berkshire Fertilizer Co., Bridgeport. Stock of W. N. Pinney, Rockville.

9390. Sold by Coe-Mortimer Co., New York City. Stock of M. C. Griffin, East Granby.

9360. Sold by Olds & Whipple, Hartford. Stock of J. N. Lasbury, Broad Brook.

8945. Sold by Spencer Bros., Suffield. Sampled at factory.

ANALYSES OF CASTOR POMACE.

Station No	8940	8871	9330	9350	9332	9390	9360	8945
· Per cent. of						d	le le	
Nitrogen guaranteed	4.53	5.00	4.52	4.50	4.52	4.53	5.00	4.84
Nitrogen found	4.65	3.45	4.61	4.75	4.7 I	4.66	5.06	4.91
Cost per ton \$	32.25	32.00	34.00	31.00	31.00	28.00	32.00	30.00

In sample 9350 one per cent. each of phosphoric acid and potash was guaranteed; the sample contained 1.46 per cent. of phosphoric acid but only 0.45 per cent. of water-soluble potash.

Sample 8871 was 1.55 per cent. deficient in nitrogen.

The average nitrogen content of the samples was 4.60 per cent. and the average cost per ton, \$31.28.

Assuming a value of 4 cents per pound for phosphoric acid and 25 cents per pound for potash, the average cost of nitrogen per pound in castor pomace this year was 27.3 cents, or \$5.46 per unit.

II. RAW MATERIALS CHIEFLY VALUABLE FOR PHOSPHORIC ACID.

BASIC LIME PHOSPHATE.

Shipments of basic phosphate from abroad have been almost cut off on account of the war. As a substitute for basic phosphate a product called "basic lime phosphate" has been put on the market, of which we have analyzed four samples of two brands. "Available phosphoric acid" was determined by the so-called Wagner method.

9367. Basic Lime Phosphate. Sold by American Agricultural Chemical Co., New York City. Stock of C. R. Main, Norwich.

9469. Same brand as **9367.** Stock of W. P. Chipman & Son, Talcottville.

9370. Basic Fruit and Legume Phosphate. Sold by Coe-Mortimer Co., New York City. Stock of Willis Smith, Winsted.

9434. Same brand as 9370. Stock of A. T. Henry, Wallingford.

ANALYSES OF BASIC LIME PHOSPHATE.

Station No	9367	9469	9370	9434
Per cent. of				
Total phosphoric acid	14.29	14.10	14.02	15.65
"Available" phosphoric acid guaran-				
ty	13.00	12.00	13.00	13.00
"Available" phophoric acid found	11.81	11.71	12.28	13.13
Cost per ton		\$22.00		15.00

One sample of each brand contained less "available" phosphoric acid than was guaranteed.

PRECIPITATED BONE PHOSPHATE.

This is a manufacturing by-product and consists of fine precipitated phosphate of lime, neutral in reaction, and contains no nitrogen. It is very readily soluble in ammonium citrate solution and is quickly available to crops. It is at present chiefly used as a tobacco fertilizer.

Six samples were analyzed, all of which were sold by Olds and Whipple, Hartford. **9371** was sampled by the Station at the factory, and **9373** by the Station from the stock of F. T. Phelps, Suffield; **8711**, **8712** and **8742** were sampled and sent by the seller; **8872** was sampled and sent by Karl C. Kulle, Suffield. The respective car numbers for the last four samples were 88300, 73792, 4822 and 73365.

The guaranty for the material was 28 per cent. "available" and 32 per cent. total phosphoric acid.

ANALYSES OF PRECIPITATED BONE PHOSPHATE.

Station No	9371	9373	8711	8712	8742	8872
Per cent. of						
Water-soluble phosphoric acid	1.56	1.33	1.41	1.37	1.01	1.50
Citrate-soluble phosphoric acid.	29.98	27.98	28.67	28.44	30.65	29.10
Citrate-insoluble phosphoric acid	8.02	7.61	6.00	6.49	8.64	7.02
Total phosphoric acid	39.56	36.92	36.08	36.30	40.30	37.62
"Available" phosphoric acid	31.54	29.31	30.08	29.81	31.66	30.60

The above samples sold at the rate of \$1.40 to \$1.50 per unit of "available" phosphoric acid, or from 7.0 to 7.5 cents per pound.

PRECIPITATED PHOSPHATE.

9369. Sold by Berkshire Fertilizer Co., Bridgeport. Stock of W. N. Pinney, Rockville. Cost \$30.00 per ton. Guaranteed 22 per cent. "available" phosphoric acid. It contained

Water-soluble phosphoric acid	5.43		
Citrate-soluble phosphoric acid			
Citrate-insoluble phosphoric acid			
Total phosphoric acid	25.16		
"Available" phosphoric acid			

"Available" phosphoric acid cost 6.2 cents per pound.

DISSOLVED ROCK PHOSPHATE OR ACID PHOSPHATE.

This material is made by treating mineral phosphates or phosphate rock with oil of vitriol (sulphuric acid), which converts the larger part of the phosphoric acid into forms soluble in water, and at the same time changes into sulphate of lime a large part of the lime which was previously combined with phosphoric acid.

The guaranty usually gives the percentage of "available" phosphoric acid. This is only a trade name for the sum of the water-soluble and citrate-soluble phosphoric acid. Its amount gives no certain indication of the actual availabliity of this phosphoric acid to crops. In acid phosphate, however, well made from domestic rock, it is fair to assume that the larger part of the "available" is also agriculturally available.

The following seventeen samples were analyzed:

9353. Sold by E. Manchester & Sons, Winsted. Stock of H. H. McKnight, Ellington.

9328. Sold by L. T. Frisbie Co., New Haven. Stock of H. G. Cooke, Branford.

9356. Sold by Virginia-Carolina Chemical Co., New York City. Stock of Tanner & Wilcox, Winsted.

8943. Sold by Nitrate Agencies Co., New York City. Stock of Edward White, Rockville.

9324. Sold by Armour Fertilizer Works, Chrome, N. J. Stock of Edward White, Rockville.

8816. Sold by L. T. Frisbie Co., New Haven. Sampled and sent by F. W. Browning, Norwich.

8938. Sold by American Agricultural Chemical Co., New York City. Stock of L. F. Burr, Branford.

9322. Sold by American Agricultural Chemical Co., New York City. Stock of J. A. Glasnapp, West Cheshire.

8946. Sold by Wilcox Fertilizer Co., Mystic. Sampled at factory.

8937. Sold by American Agricultural Chemical Co., New York City. Stock of L. F. Burr, Branford.

9327. Sold by Coe-Mortimer Co., New York City. Stock of J. E. Stoddard, Abington.

9351. Sold by L. T. Frisbie Co., New Haven. Sampled at factory.

9321. High Grade Soluble Phosphate. Sold by Coe-Mortimer Co., New York City. Stock of Joseph Humphreys, Danbury.

9326. Soluble Phosphate. Sold by Bowker Fertilizer Co., New York City. Stock of A. R. Manning, Yantic.

9355. Sold by F. S. Royster Guano Co., Baltimore, Md. Stock of W. Howard, Windsor.

8941. Sold by Apothecaries Hall Co., Waterbury. Sampled at factory.

8760. Plain Superphosphate. Sold by Sanderson Fertilizer & Chemical Co., New Haven. Sampled and sent by A. B. Smith, Clintonville. Suspected of containing added lime. 27.88 per cent. was present, not an abnormal amount.

ANALYSES OF ACID PHOSPHATE.

Station No.	Water-soluble phosphoric acid.	Citrate-soluble phosphoric acid.	Citrate-insoluble phos- phoric acid.	Total phosphoric acid.	"Available" phos- phoric acid found.	"Available" phos- phoric acid guar- anteed.	Cost per ton.	"Available" phos- phoric acid costs cents per pound.
9353	13.87	3.87	1.39	19.13	17.74	16.0	\$18.50	5.2
9328	13.36	2.31	0.74	16.41	15.67	14.0	17.00	5.4
9356	15.96	1.77	0.27	18.00	17.73	16.0	19.00	5.4
8943	15.41	1.29	0.86	17.56	16.70	16.0	18.50	5.5
9324	14.83	1.64	0.52	16.99	16.47	16.0	18.50	5.6
8816	16.42	1.15	0.29	17.86	17.57	16.0	20.00	5.7
8938	14.29	2.81	0.82	17.92	17.10	16.0	21.00	6.1
9322	11.02	6.71	0.64	18.37	17.73	18.0	22.50	6.3
8946	15.05	2.22	0.13	17.40	17.27	16.0	22.00	6.4
8937	9.48	5.85	0.79	16.12	15.33	14.0	20.00	6.5
9327	12.71	3.96	0.36	17.03	16.67	16.0	22.00	6.6
9351	15.92	1.25	0.78	17.95	17.17	16.0	23.00	6.7
9321	10.84	4.70	0.49	16.03	15.54	14.0	22,00	7.1
9326	9.96	4.79	0.50	15.25	14.75	14.0	24.00	8.1
9355	13.03	3.41	0.36	16.8 o	16.44	16.0	• • • • •	• •
8941	12.44	2.10	0.50	15.04	14.54	14.0		
8760				17.00				

One of the above samples was guaranteed 18 per cent. "available"; ten were guaranteed 16 per cent., and five 14 per cent.

The average cost of "available" phosphoric acid in the above samples was 6.2 cents per pound, about 0.75 cents less than last year.

PHOSPHO PLASTER.

9368. Sold by American Agricultural Chemical Co., New York City. Stock of A. L. Burdick, Westbrook. Guaranteed 2 per cent. "available" phosphoric acid. It contained

Water-soluble phosphoric acid			
Citrate-soluble phosphoric acid			
Citrate-insoluble phosphoric acid	2.21		
Total phosphoric acid	6.87		
"Available" phosphoric acid	4.66		
Lime (calcium oxid)	31.93		

BARIUM-PHOSPHATE.

9408. Sold by Witherbee, Sherman & Co., Port Henry, N. Y. Stock of Station Farm, Mt. Carmel. Guaranteed 14 per cent. phosphoric acid, 7 per cent. barium sulphid.

It contained 15.34 per cent. phosphoric acid, chiefly in insoluble forms.

III. RAW MATERIALS OF HIGH GRADE CONTAINING POTASH.

Owing to the war very little, if any, potash has been shipped to this country during the past three years. The three samples of muriate of potash analyzed represented stock in the hands of farmers who were tempted by the abnormally high prices to dispose of their surplus stock.

MURIATE OF POTASH.

8691, 8692. Stock of Samuel Wilson, Waterbury. They contained 53.92 and 52.44 per cent. of potash, respectively.

8801. Stock of W. T. Peters, Cheshire. It contained 58.24 per cent. of potash.

COTTON HULL ASHES.

9279. Sold by Olds and Whipple, Hartford. Car No. 22120; stock of Windsor Tobacco Growers Corporation, Windsor. Cost \$6.00 per unit of water-soluble potash, equivalent to 30 cents per pound for actual potash. It contained 24.78 per cent. of potash.

IV. RAW MATERIALS CHIEFLY VALUABLE FOR NITROGEN AND PHOSPHORIC ACID.

FISH MANURES.

The twelve samples analyzed show considerable uniformity in the content of nitrogen, which ranges from 7.28 to 9.75 per cent., with an average of 8.34 per cent. The phosphoric acid, however, shows a wide range, from 2.75 to 10.41 per cent., with an average of 6.77 per cent. Six of the samples failed to meet their guaranties, two being deficient in nitrogen, one in phosphoric acid, and three in both of these elements. 9365 and 9100 contained only about half of the phosphoric acid guaranteed.

The average cost was \$53.44 per ton, about \$2 higher than last year. If the phosphoric acid were valued at 4 cents per pound, the nitrogen cost on the average 28.8 cents per pound; if at 6 cents per pound, the nitrogen cost 27.2 cents.

ANALYSES OF

Station No.	Manufacturer °	Dealer or Purchaser
9045 9323 9365 9325 9374 9357 8924 9354	Amer. Agr. Chem. Co. Amer. Agr. Chem. Co. Apothecaries Hall Co. Berkshire Fert. Co. E. D. Chittenden Co. International Agr. Corp. Olds and Whipple. Olds and Whipple.	C. O. Treat, Manchester. C. K. Hale, Chicopee. Spencer Bros., Suffield. Factory. Factory. F. T. Phelps, Suffield. S. B. Smith, East Haven. J. Gamble, Thompsonville. Factory. S. J. Orr, West Suffield.
9100* 8873	Sampled by Purchaser: L. T. Frisbie Co	John Leonard, Burnside K. C. Kulle, Suffield

^{*} Contained 3.10 per cent. chlorin.

TANKAGE. (Analyses on pages 386 and 387.)

This material, made from the waste of slaughter houses and meat markets, naturally shows considerable differences in composition, depending upon the relative amounts of meat and bone present.

The thirteen samples analyzed fall into two quite well-defined groups, the one containing from 4.26 to 5.67 per cent. of nitrogen and from 14.06 to 21.42 per cent. of phosphoric acid, the other containing from 7.16 to 8.34 per cent. of nitrogen and from 5.62 to 11.19 per cent. of phosphoric acid.

The samples of the first group, approximately 6-30 grade, cost from \$28 to \$42 per ton; the higher grade tankages, 9-20, cost from \$48 to \$55 per ton.

The average composition and cost of the two grades were as follows:

Grade.	Nitrogen.	Phosphoric Acid.	Cost per Ton.
6-30	4.78	17.39	\$35.33
9-20	7.83	7.96	51.00

Only four of these samples could be called fine, having 50 per cent. or more by weight in particles smaller than 1-50 inch.

Two samples failed to meet their nitrogen guaranty, one that for phosphoric acid, and one was deficient in both nitrogen and phosphoric acid.

FISH MANURES.

	Nitroge	en		Pho	osphoric A	Acid.	Total phoric		
As Ammonia	As Organic	Total found.	Total guaranteed.	Water- soluble.	Citrate- soluble.	Citrate- insoluble.	Found.	Guaranteed.	Cost per ton.
0.20 0.22 0.19 0.14 0.24 2.23 0.23 0.13 0.25 0.11	7.77 7.90 7.81 7.62 8.23 5.05 8.01 9.41 8.69 8.15	7.97 8.12 8.00 7.76 8.47 7.28 8.24 9.54 8.94 8.94	8.23 8.23 8.23 8.20 8.23 8.00 8.20 8.23 8.23 8.23	0.85 0.37 0.65 0.25 0.40 0.18 0.32 0.38 0.80	5.03 7.10 4.01 2.24 5.04 4.02 4.87 5.81 5.53 4.61	0.36 2.94 0.75 0.26 1.74 0.83 2.09 1.68 1.51 1.41	6.24 10.41 5.41 2.75 7.18 5.03 7.28 7.87 7.84 6.52	6.0 6.0 6.0 5.5 6.0 6.0 5.5 5.5	\$55.00 55.00 48.00 57.00 52.00 55.00 55.00
	!	7.71 9.75	7.4I 8.23				6.95 7.82	14.0 5·5	50.00 54.00

ANALYSES OF

Station No.	Manufacturer.	Dealer or Purchaser.
8922 9366 9461 9334 9335 9336 8923 9358 9359 9362 9363 8926 8948	L. T. Frisbie Co. L. T. Frisbie Co. Lister's Agr. Chem. Works (Celebrated Ground Bone and Tankage) E. Manchester & Sons. Sanderson Fert. & Chem. Co. Sanderson Fert. & Chem. Co. Wilcox Fertilizer Co.	Factory. Frank S. Platt Co., New Haven. Willis Smith, Winsted. Factory. Pactory. Knowles, Lombard Co., Guilford. S. J. Orr, West Suffield.

BONE MANURES.

(Analyies on pages 388 and 389.)

The analyses of twenty-one samples of bone are given in the table. "Bone," like tankage, has a wide range of composition, some samples being from raw bone with or without much adhering meat and cartilage, others representing bone which has been cooked, the grease and nitrogenous matter being partially removed.

The average per cent. of nitrogen in these samples is 3.40 and of phosphoric acid 23.35. The average cost per ton, barring the exceptional prices of **9393** and **9387**, was \$40.60.

Two samples failed to meet their nitrogen and two their phosphoric acid guaranties.

V. MIXED FERTILIZERS.

NITROGENOUS SUPERPHOSPHATES.

REGARDING GUARANTIES.

The following tables, pages 394 to 415, present 375 analyses. Of those sampled by the Station Agent 143 are guaranteed to contain potash. 172 contain no potash. Three brands were

TANKAGE.

	Nitro	gen.		Phosp A	ohoric cid.	Mech Ana		
As Ammonia.	As Organic.	Total found.	Total guaranteed.	Found.	Guaranteed.	Finer than r-50 inch.	Coarser than r-50 inch.	Cost per ton.
0.39 0.13 0.17 0.46 0.20 0.22 0.22 0.14 0.41 0.33 0.29 0.24 0.28	5.28 5.52 6.99 5.19 4.06 4.46 7.35 2.56 4.51 4.34 7.99 8.06	5.67 5.65 7.16 5.65 4.26 4.68 7.57 2.70 4.97 4.84 4.63 8.23 8.34	4.94 4.94 7.41 4.94 3.00 4.92 7.38 2.67 4.93 4.94 4.94 8.24	14.06 16.76 7.18 14.78 21.42 15.62 11.19 13.85 19.33 20.20 20.46 5.62 5.86	13.73 13.73 9.15 13.73 20.00 15.00 10.00 12.00 13.73 13.73 13.73 8.00	40 38 50 44 59 18 24 56 45 64 62 28 33	60 62 50 56 41 82 76 44 55 36 38 72 67	\$38.00 36.00 50.00 28.00 42.00 48.00 35.00 55.00

guaranteed to contain four per cent. of potash, though only one had nearly that amount. Seven brands guaranteed 3 per cent., nineteen 2, and the rest 1 per cent. or less.

Of the brands containing potash about 23 per cent. failed to meet their guaranty in one ingredient, while of the 172 without potash 16.8 per cent. failed in the same way.

In a large number of cases, however, a shortage of one ingredient was made good by an overrun of another, so that the buyer received full value for his money, but in the following brands this was not the case. Reckoning nitrogen at 27 cents, available phosphoric acid at 6 and potash at 30 cents per pound, respectively, the deficiency in money value per ton was:

No.	Name of Brand Deficiency in Ton	Value
9213	Armour's Bidwell's 3-8-1	\$1.88
9299	" 5-8-4 Fertilizer	4.65
9290	" 7-6-I "	3.83
9240	Bowker's Complete	9.52
9293	Coe-Mortimer's Red Brand Excelsior	3.50
9405	National Fertilizer Co.'s Extra H. G. Potato	1.81
9039	Rogers & Hubbard Co.'s Bone Base Soluble Potato	1.68
9306	A. A. C. Co.'s H. G. Grass Top Dressing	1.80
9316	Atlantic Packing Co.'s Tobacco Special	1.17
9130	International Agr'l Corp's. Buffalo Top Dresser	3.15
9131	" " Vegetable and Potato	1.99
9173	N. E. Fertilizer Co.'s Potato Fertilizer	1.26

ANALYSES OF

Station No.	Manufacturer and Brand.	Dealer or Purchaser.
9376 9377 9378 9379 9380 9381 9375 9414 9382 9383 9385 9384 9393 9392 9386 9387 9388 9389	Sampled by Station: Amer. Agr. Chem. Co., Fine Ground Bone Apothecaries Hall Co., Bone Armour Fertilizer Works, Bone Meal Berkshire Fertilizer Co., Fine Ground Bone. Bowker Fertilizer Co., Fresh Ground Bone. Coe-Mortimer Co., Fine Ground Bone L. T. Frisbie Co., Fine Bone Meal L. T. Frisbie Co., Fine Bone Meal Lister's Agr. Chem. Works, Bone Meal. Lowell Fertilizer Co., Ground Bone. Rogers & Hubbard Co., Hubbard's Pure Raw Knuckle Bone Flour. Rogers & Hubbard Co., Hubbard's Strictly Pure Fine Bone Rogers & Hubbard Co., Rogers' Knuckle Bone Flour Rogers & Hubbard Co., Rogers' Pure Fine Ground Bone. F. S. Royster Guano Co., Fine Ground Bone Meal. Sanderson Fert. & Chem. Co., Fine Ground Bone M. L. Shoemaker & Co., Swift-Sure Bone Meal Wilcox Fertilizer Co., Pure Ground Bone Sampled by Purchaser: Apothecaries Hall Co., Bone. Bowker Fertilizer Co., High Grade Ground Bone L. T. Frisbie Co., Bone Meal L. T. Frisbie Co., Bone Meal	Factory. Brower & Malone, Norwalk. Wheeler & Co., Bridgeport. A. L. Burdick, Westbrook. J. E. Stoddard, Abington. Lightbourn & Pond, New Haven. Frank S. Platt Co., New Haven. F. C. Benjamin, Danbury. Geo.S. Phelps&Co., Thompsonville E. A. Buck, Willimantic. J. P. Barstow & Co., Norwich. Cadwell & Jones, Hartford Factory. S. J. Orr, West Suffield. W. H. Burr, Westport. Olds & Whipple, Hartford. Factory. H. B. Cornwall, Meriden.

^{*} Car lot.

QUALITY OF PLANT FOOD IN NITROGENOUS SUPERPHOSPHATES.

The potash given in the analyses is all water-soluble and available to crops.

The same is true of the "soluble" phosphoric acid. The "citrate-soluble" phosphoric acid, which with the water-soluble is called "available" by trade usage, is doubtless more promptly available to crops than the insoluble, although there are probably

BONE MANURES.

Nitro	ogen.	Phos Aci	ohoric d.	Mechai Analy	nical rsis.	
Found.	Guaranteed.	Found.	Guaranteed.	Finer than 1-50 inch.	Coarser than 1-50 inch.	Cost per ton.
3.15 3.21 3.12 3.08 2.58 3.12 3.17 4.09 3.64 2.47	2.47 2.47 2.47 2.50 2.47 2.47 2.46 3.93 2.47 2.46	21.38 23.98 25.08 22.32 24.36 24.00 25.10 20.58 23.20 26.18	22.88 ,22.00 22.00 20.00 22.88 22.88 20.00 21.39 23.00 20.00	41 59 53 44 51 51 45 35 57 69	59 41 47 56 49 49 55 65 43 31	\$38.00 36.00 45.00 40.00 42.00 44.00 40.00 37.00
3.94	3.82	25.08	24.70	39	61	
3.27	3.50	21.08	20.00	62	38	41.00
3.88	3.82	25.16	24.70	71	29 .	55.00
3.40	3.50	20.14	20.00	41	59	
2.61	2.47	23.48	22.90	50	50	40.00
2.23	2.47	21.64	20.00	65	35	*34.00
6.26 2.74	4·53 2·46	20 64 26.26	20.00 22.00	56 51	44 49	47.00 41.00
4.93		18.86		80	20	
3.69 2.84	3.29 2.46	25.07 26.71	20.50 20.00	46 ··	54	39.00 35.00

very considerable differences in the agricultural value of citratesoluble phosphoric acid from different sources or materials. The same is true, also, of insoluble phosphoric acid. Thus, the insoluble phosphoric acid of bone is much more quickly available to crops than that from phosphate rock or apatite.

It is safest to give preference to those mixed fertilizers in which the proportion of insoluble phosphoric acid is small.

Regarding nitrogen, that which is in form of nitrates is the

BRANDS IN WHICH INFERIOR FORMS OF NITROGEN ARE INDICATED.

				Organic Nitrogen.	Nitrogen.		
.oN noitstS	Brand.	.letoT	Water- soluble,	Active-	Inactive- insoluble.	Per cent. active insol- uble by Alka- line Method.	Per cent. active insol- uble by Neu- tral Method.
9117	Armour's Wheat, Corn and Oats Special	0.81	0.25	0.27	0.29	48.0	74.4
8980	Armour's 1–8–2 Fertilizer	08.0	0.25	0.15	0.40	28.0	47.6
9282	Royster's Dreadnaught Fertilizer	0.78	0.33	0.19	0.26	42.2	74.4
8918	8918 Royster's Logical Compound	1.39	09.0	. 0.34	0.45	42.6	83.6
8972	8972 Mapes' 5% Ammonia Special	0.59	60.0	0.22	0.28	44.4	76.2
		•			_		

most quickly and completely available. As a rule the nitrogen of ammonia salts is less quickly and completely available than that of nitrates, but ranks next to it.

The organic nitrogen of fertilizers is supplied by a great variety of materials which differ very considerably in agricultural value.

The details of the methods used to detect very inferior forms of nitrogen have been given in previous reports.

By the alkaline permanganate method forms of organic nitrogen are considered inferior in which less than 50 per cent. of the water-insoluble, organic nitrogen is soluble in the reagent. By the neutral permanganate method, any solubility of less than 80 per cent. is suspicious. Some objection has been made to the method because dried horse and sheep manure, recognized as good fertilizers are ranked as inferior by these methods. It is true that both have agricultural value, but this depends to a considerable extent on the favorable action in the soil of the decomposing vegetable matter, while experiment has shown that the organic nitrogen in them is less available than in the forms ordinarily used in the compounding of fertilizers.

In the following brands inferior forms of nitrogen are indicated by both methods:

REGARDING PRICES OF NITROGENOUS SUPERPHOSPHATES.

The dealers' quotation of the cash ton price was obtained in most cases when each sample was drawn. These prices are, however, no real guide to prospective purchasers. The manufacturer has little or no control over the price which the retailer or agent will charge and the latter sells to the consumer according to special terms made with him, which are largely governed by time of payment and knowledge of the consumer's financial standing and habits. To take a concrete case: To-day a 2-10-0 formula can be bought for \$40. That is called the "cash ton price."

But if paid for before Feb. 1 its price will be \$37; if before Apr. 1, \$37.40; July 1, \$38.00 and on Dec. 1, \$40. If bought in car lots it will cost \$1.00 per ton less. If sold in small fractions of a ton the price will be considerably higher. Again, if several dealers in one place are competing for trade, the quoted prices are likely to be less than where there is no competition, or where the dealer knows that payments will be slow.

The general range of prices is shown in the following table:

AVERAGE HIGHEST AND LOWEST PRICES QUOTED TO THE STATION AGENT, 1917.

Formula.	Average Cash Ton Price.	Lowest.	Highest.
I- 7-I	\$29.00		
1-8-1	29.75	\$28.00	\$31.00
1-10-1	31.67	30.00	35.00
2- 8-I	33.50	30.00	34.00
2 -9-I	33.33	31.00	36.00
2-10-I	35.10	32.00	38.00
2- 8-3	42.50		
2- 8-4	50.00		
$3-6-\frac{1}{2}$	37.50		
$3-8-\frac{1}{2}$	27.75	25.50 .	32.00
3- 8-I	36.00	34.00	39.00
3- 9-1	36.23	34.00	41.00
4- 6-2	33.50		
4- 8-1	36.75	33.00	40.00
4- 8-4	54.00		
4- 9-I	38.19	33.00	44.00
4-10-3	49.50	48.00	51.00
5- 3-1	38.50		
5- 4-1	41.50	40.00	42.00
5- 6-1	42.00		1
5- 4-2	45.75		
5- 8-1	43.36	39.00	50.00
5- 8-4	65.00		
6- 4-2	52.00		
7- 6-I	49.00		
10- 5-1	59.00		
12- 5-1	66.00		

A rough "valuation" may be made by valuing nitrogen as

Nitrates at			. 26 cents
Ammonia at			. 29 "
Organic			. 25 "
Available phost	phoric acid	at	$6\frac{1}{2}$ cents
Water-soluble r	otash		. 281/2 "

Analyses Requiring Special Notice.

- **8910.** The American Ag'l. Chem. Co.'s Complete Manure for Top Dressing 1916 was found below guaranty in nitrogen. A second sample, **9345**, taken from a different source, was analyzed with approximately the same results.
- **8909.** The above company's Sure Growth Phosphate being somewhat below guaranty in potash, a second sample, **9344**, of this brand from a different source was found to meet fully its guaranty.

A similar result appears in the two analyses of Bradley's Patent Superphosphate, 1916, Nos. 8977 and 9346.

9213. Armour Fertilizer Co.'s Bidwell's 3-8-1, having considerably less nitrogen than was guaranteed, the manufacturer requested the analysis of another sample, but it was not possible at that time to find the brand on sale in the State.

- 9032. Coe-Mortimer Co.'s New Englander Special 1916, being found deficient in both nitrogen and potash, effort was made without success to find for analysis another sample.
- **9405.** National Extra High Grade Potato Fertilizer showed deficiencies in all three ingredients and we were unable to get another sample from a different source for analysis.
- 9040. The Royster Guano Co.'s Dreadnaught Fertilizer, having been found deficient in potash, a second sample, 9282, was drawn from a different source, which showed more potash, 1.86 per cent., the guaranty being 2 per cent.
- 9068. Quinnipiac Wrapper Leaf Brand Tobacco Manure, without Potash, not meeting its nitrogen guaranty, a second sample was analyzed, 9319, which fully met the guaranty.
- 8997. Rogers H. G. Soluble Tobacco Manure failing to meet its guaranty of available phosphoric acid, a second sample, 9347, drawn from a different source, was analyzed but agreed in composition with the first sample. It will be noticed that most of the superphosphates without potash made by this firm, while fully meeting their guaranties in all other respects, fail to meet them in the one particular of "available" phosphoric acid. The manufacturer states that the phosphatic material used is precipitated bone mixed with fine bone sawings: that the amount of available phosphoric acid found in these materials when separately analyzed should yield fully the amount guaranteed in the mixture of them; but that this is not the case and that there are large discrepancies between the analyses of mixtures of these two ingredients reported by different trade chemists. Examination of the bone used shows the presence of a considerable amount of carbonate of lime. The presence of carbonates, we believe, in any fertilizer is likely to reduce the amount of "available" phosphoric acid found by the official method. The precipitated bone, whether alone or mixed with carbonates, is, we believe, readily available to crops.
- 9225. Royster's Curfew Ammoniated Superphosphate having failed to meet its nitrogen guaranty, a second sample, 9348, drawn from a different source, was analyzed and substantially met the nitrogen guaranty. The same thing was found in Royster's Good Will Ammoniated Superphosphate, Samples 9228 and 9404.
- **8907.** In Sanderson's H. G. Ammoniated Phosphate the available phosphoric acid was below guaranty but in two other samples of the same brand, **9075** and **9308**, this guaranty was fully met.

TABLE I—NITROGENOUS SUPERPHOSPHATES.

Station No.	Manufacturer and Brand.	Place of Sampling	Dealer's cash price per ton.
*8909 *9344 9212 9291 8978 9181 9182 9305 *8977 *9346 8976 9183 8979 9047 9185	Complete Manure for Top Dressing 1916. Sure Growth Phosphate 1916. Sure Growth Phosphate 1916. Triumph Crop Special. Bradley's B. D. Sea Fowl Guano 1916. Bradley's Complete Manure for Potatoes and Vegetables 1916. Bradley's Corn Phosphate 1916. Bradley's Half Century Fertilizer 1916. Bradley's New Method Fertilizer 1916. Bradley's Patent Superphosphate 1916. Bradley's Patent Superphosphate 1916. Bradley's Potato Fertilizer 1916. Bradley's Potato Manure 1916. Bradley's Tobacco Manure 1916. Bradley's Tobacco Manure 1916. Bradley's Tobacco Manure (Carb.) Bradley's Unicorn 1916. East India Corn King 1916.	Milford. Hazardville. Hazardville. Hazardville. Thompsonville. Milford. Middletown. Norwalk. South Coventry. Canaan. Canaan. Suffield. Thompsonville. Groton. Suffield. Glastonbury. Hartford. Cos Cob. Southport.	\$43.75 43.75 36.75 36.00 37.50 35.00 31.00 34.00 35.00 36.00 40.25 33.00 34.00
9187 9184 9288 9186 9189 9236 9188	East India Potato and Garden Manure. East India Roanoke Phosphate 1916. East India Tobacco Special 1916. East India Unexcelled Fertilizer 1916. Quinnipiac Ammoniated Dissolved Bone 1916. Quinnipiac B Fertilizer 1916. Quinnipiac Climax Phosphate 1916.	Burnside. Southport. Burnside. Southport. Branford. Shelton. Milford.	37.00 31.00 39.00 33.00 31.00 35.00 30.00
9190 9191 8911 9192 9295 9296 9297 9207 9208 9208 9237 9209 9210	Quinnipiac Climax Phosphate 1916 Quinnipiac Fish and Potash Mixture 1916 Quinnipiac Market Garden Manure 1916 Quinnipiac Potato Phosphate 1916 Quinnipiac Wrapper Leaf Brand Tobacco Manure Wheeler's Corn Fertilizer 1916 Wheeler's Cuban Tobacco Grower 1916 Wheeler's Potato Manure 1916 Williams and Clark's Americus Corn Phosphate 1916 Williams and Clark's Americus H. G. Special for Potatoes and Root Crops,1916 Williams and Clark's Americus Potato Manure Williams and Clark's Meadow Queen Fertilizer 1916 Williams and Clark's Seed Leaf Tobacco Manure 1916 Williams and Clark's Special Prolific Crop Producer	Windsor. Hazardville. Branford. Hazardville. New Milford. New Milford. New Milford. Milford. Southington. Waterbury. Waterbury. Waterbury. Milford. Manchester.	34.00 .37.50 32.00 41.00 32.00 44.00 39.00 35.00 30.00
9286	Apothecaries Hall Co., Waterbury, Conn. Victor Tobacco Special	Wapping	42.00

^{*} See page 392.

WITH POTASH.

						,		WII	H F01	ASH.						
		Nitr	ogen.					Ph	osphori	c Acid.				Potash.		
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble	Found.	Guaranteed.	Found.	Guaranteed.	As Muriate.	Total.	Guaranteed.	Station No.
0.60 0.38 1.18	0.98 0.99 0.84 1.07 0.04 0.12	0.16 0.42 0.24 0.48	1.66 0.84 1.15 0.79	3.84 2.70 2.84 2.49	4.II 2.47 2.47 2.47	5.75 6.01 6.08 4.96	3.48 4.02 3.91 3.32	0.51 1.19 1.04 1.37	II.22 II.03	9.0 10.0 10.0 9.0	9.78 9.23 10.03 9.99 8.28 10.34	8.0	1.01 0.90 0.65 0.40 2.94 0.51	1.01 1.19 0.71 1.14 2.94 0.85	I.0 I.0 I.0 I.0 3.0	8910 9345 8909 9344 9212 9291
0.46 0.41 0.07 0.14 0.26 0.53 0.60 0.17 0.60 0.97 0.21 0.12 0.38	0.05 0.50 0.44 0.08 0.58 0.76 0.05 0.01 0.88 0.55 7 1.04 0.20 8 0.08 0.15 0.12 1.16	0.32 0.49 0.56 0.34 0.27 0.61 0.29 0.09 1.12 0.38 0.44 0.21 0.18	0.49 0.60 0.22 1.00 1.22 0.56 1.07 3.43 2.89 0.70 0.96 0.96 3.37 0.96	I.77 I.94 O.93 2.06 2.08 2.46 2.55 4.44 4.72 2.13 2.36 3.49 I.58 I.71 I.37	I . 65 2 . 06 0 . 82 2 . 06 2 . 06 2 . 47 4 . 53 I . 65 2 . 47 J . 23 4 . 53 I . 23 I . 23	5.83 5.26 6.51 5.50 5.10 4.35 6.11 1.56 0.33 7.01 6.48 6.88 2.15 5.70 1.94 6.10	4.76 5.39 2.46 4.16 4.49 5.09 4.60 2.85 3.16 3.55 4.17 4.12 1.56 4.62 8.64 4.64	I.13 I.75 I.09 O.87 O.90 I.36 O.79 O.43 O.28 I.57 O.97 2.03 I.68 O.49 I.27 I.74 I.75	11.45 11.72 12.40 10.06 10.53 10.49 10.80 11.50 4.84 3.77 12.13 11.60 11.48 12.68 4.20 10.99 12.32 12.49 10.75	11.0 9.0 9.0 9.0 10.0 4.0 10.0 10.0 11.0 10.0 11.0	9.48 10.59 10.65, 8.97 9.66 9.59 9.44 10.71 4.41 3.49 10.56 10.63 9.45 11.00 3.71 9.72 10.58 10.74 9.82	10.0 10.0 8.0 8.0 8.0 9.0 3.0 9.0 9.0 9.0 10.0	1.07 1.07 1.00 0.80 0.70 0.96 0.70 1.03 0.25 0.80 0.40 1.01 1.06 1.00 0.11 0.66 1.26 0.91	I.07 I.07 I.00 I.02 0.76 0.96 I.01 I.03 I.10 §2.92 0.76 I.01 I.06 I.06 I.26 0.91 I.26	I.0 I.0 I.0	8978 9181 9182 9305 8977 9346 8976 9183 8979 9047 9294 9185 9187 9184 9288 9186 9189 9236 9188
0.23 0.55 1.05 0.18 1.18 0.30 1.22 1.25	3 0.17 5 0.60 6 1.10 8 0.30 8 0.06 0 0.25 2 0.04 5 0.35	0. 0.57 0.48 0.54 0.08 0.26 0.26	64 0.76 0.78 1.72 3.10 0.64 3.08 0.86	1.04 2.48 3.41 2.74 4.42 1.45 4.60 2.94	0.82 2.47 3.29 2.06 4.53 1.65 4.53 2.06	4.20 5.21 5.85 1.22 2.46 5.45 2.46	4.78 4.46 3.94 7.78 1.55 4.68 1.48 4.09	0.97 1.56 0.96 1.80 0.63 0.96 0.50	9.95 11.23 10.75 10.80 4.64 11.09 4.44 11.55 12.22	9.0 10.0 10.0 9.0 4.0 11.0 4.0	8.98 9.67 9.79 9.00 4.01 10.13 3.94 10.54	8.0 9.0 9.0 8.0 3.0 10.0	0.90 0.95 1.09 1.07 0.20 1.09 0.20 0.45 1.00	I.02 0.95 I.09 I.07 I.04 I.09	I.0 I.0 I.0 I.0 I.0 I.0	9320 9190 9191 8911 9192 9295 9296 9297 9207
0.34		0.24 0.17 0.47 0.00	I.14 0.47	1.96 0.88 2.56 4.30	2.06 0.82 2.47 4.53	4.69 7.91 5.00 1.56	4.53 5.00 4.79 1.93	0.95 0.88 1.65 0.35	11.12 10.17 13.79 11.44 3.84 10.71	9.0 11.0 10.0 4.0	10.26 9.22 12.91 9.79 3.49 9.12	8.0 10.0 9.0 3.0	0.91 0.92 1.00 0.91 0.20 0.96	0.91 1.09	I.0 I.0 I.0	9298 9208 9237 9209 9210 9304
0.1	7 1.69	0.52	1.76	4.14	4.11	2.63	1.36	0.51	4.50	5.0	3.99	4.0	1.06	1.06	1.0	9286

0.83% as sulphate, 1.29% as carbonate.

TABLE I.—NITROGENOUS SUPERPHOSPHATES

Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
9116 ‡9117 †*9213 ‡8980 8981 9214 9215 9114 †9299	Sampled by Station: Armour Fertilizer Works, Chrome, N. J. Grain Grower, 2-8-2 Fertilizer Special Tobacco Grower No. I, 5-4-1 Fertilizer. Wheat, Corn, Oats Special, 1-7-1 Fertilizer. Bidwells 3-8-1 I-8-2 Fertilizer. 2-8-3 Fertilizer. 2-½-8-1 3-8-1 4-8-1 5-8-4 Fertilizer. 7-6-1 Fertilizer.	Hazardville. Bridgeport. Windsor Locks. Bridgeport. Hazardville. Thompsonville. Norwalk. Manchester. Orange.	\$35.00 42.00 29.00 34.00 34.00 42.50 35.00 39.00 38.00 65.00 48.00
9241 †9240 9239 8912 8983 9217 9242 9238	Bowker Fertilizer Co., New York City. All Round Fertilizer 1916. Ammoniated Food for Flowers. Complete. Corn Phosphate 1916. Farm and Garden Phosphate 1916. Stockbridge General Crop Manure 1916. Hill and Drill Phosphate 1916. Lawn and Garden Dressing 1916. Stockbridge Early Crop Manure 1916. Sure Crop Phosphate 1916.	Waterbury: Milldale. West Stafford. New Haven. Yalesville. Yalesville. New Haven. West Stafford.	44.00 41.00 50.00
9244 9302 9245 9246 9247 9292 \$9032 †9293	E. D. Chittenden Co., Bridgeport, Conn. Complete Tobacco and Onion Grower, 2% Potash Connecticut Tobacco Grower. Connecticut Tobacco Grower. Tobacco Special, 2% Potash. Coe-Mortimer Co., New York City. Columbian Corn and Potato Fertilizer 1916. Gold Brand Excelsior Guano 1916. H. G. Potato Fertilizer Revised. New Englander Special 1916. Red Brand Excelsior Guano 1916. Standard Potato Fertilizer 1916.	Broad Brook. Suffield. Suffield. Milford. Washington Depot. Greenwich. Brooklyn.	30.00 38.00 48.00 28.00
9258 9255	T. H. Eldredge, Norwich, Conn. Fish and Potash International Agricultural Corporation, Buffalo, N. Y. Buffalo Economy Buffalo General Favorite See page 392. † See page 387. ‡ See page 39	West Suffield East Granby	34.68

WITH POTASH—(Continued).

	===		Nit	rogen.		Phosphoric Acid.							Potash.																		
				le.	Total.																				To	tal.	So-called "Available"				
	In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found. Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	As Muriate.	Total.	Guaranteed.	Station No.																
Tourism and	 0.18 0.03 0.17 0.05 0.19 0.26 0.24 0.63 1.20 	0.28 0.10 0.08 0.55 0.05 0.24 0.16 0.21 0.22 0.12	0.77 0.25 0.51 0.25 0.40 0.26 0.99 0.47 0.56	3.16 0.56 0.95 0.55 0.90 1.48 1.28 2.02 1.88	1.76 1.65 4.21 4.11 0.92 0.82 2.18 2.47 0.90 0.82 1.73 1.65 2.16 2.06 2.72 2.47 3.34 3.29 3.76 4.11 4.92 5.76	3.12 4.54 4.48 4.52 3.45 4.46 4.02 5.04 4.61	1.64 2.82 3.26 3.79 4.48 3.52 3.54 3.11	0.72 0.81 1.16 0.86 1.18 1.32 1.69 0.75	9.11 9.30 9.25 8.90 8.32	8.55 4.55 8.55 8.55 8.55 8.55 8.55 8.55	8.14 8.0 4.76 4.0 7.36 7.0 7.74 8.0 8.31 8.0 7.93 8.0 7.98 8.0 7.56 8.0 8.15 8.0 7.45 8.0 6.24 6.0	1.96 0.20 0.70 0.20 1.14 3.04 1.00 0.51 1.07 3.64 1.07	1.96 1.07 1.02 1.00 2.04 3.04 1.00 1.04 1.07	2.0 1.0 1.0 2.0 3.0 1.0 1.0 1.0	9115 9116 9117 9213 8980 8981 9214 9215 9114 9299 9290																
-	0.1 6	0.90	0.54	0.85	2.45 2.06	6.57	3 · 54	1.84	11.95	11.0	10.11 10.0	0.85	1.01	1.0	8982																
The state of the s	0.10 0.50 0.19 3.32 1.32	0.03 1.18 0.38 0.48 1.72 0.95 0.05 1.43 0.20	0.34 0.54 0.38 0.62 0.33 0.25 I.II	0.98 0.34 1.08 0.94 1.01 1.02 0.32	2.90 2.47 2.60 3.29 1.76 1.65 1.94 1.65 3.28 3.29 2.48 2.47 4.64 4.11 4.18 4.11 1.04 0.82	6.92 6.30 6.56 7.78 6.44 5.11 4.07	3.05 4.52 4.09 2.57 3.52 3.34 4.07	0.96 I.45 0.95 0.95 0.97 0.35 I.42	10.93 12.27 11.60 11.30 10.93 8.80 9.56	II.0 II.0 II.0 IO.0 IO.0 9.0 9.0	6.34 6.0 9.97 10.0 10.82 10.0 10.65 10.0 10.35 9.0 9.96 9.0 8.45 8.0 8.14 8.0 10.59 10.0	2.II 2.02 0.75 1.17 0.87 1.13 1.00 1.11	2.79 2.02 0.98 1.17 0.87 1.13 1.00 1.11	2.0 3.0 1.0 1.0 1.0 1.0 1.0	9241 9240 9239 8912 8983 9217 9242 9238 9216																
	0.12 0.18	1.90 2.94 3.02 2.56	0.31	I.38 I.62	3.30 3.29 4.75 4.95 4.95 4.94 4.52 4.50	3.75 3.83	1.14 0.89	0.38 0.32	10.08 5.27 5.04 4.40	9.0 5.0 5.0 4.0	9.43 8.0 4.89 4.0 4.72 4.0 4.13 3.0	1.11 0.20 0.20 0.15	I.99 2.07 I.94 2.02	2.0 2.0 2.0 2.0	9243 9244 9302 9245																
And the same of th	0.91 0.27 0.43 0.91 1.12	0.28 0.44 1.65 0.62 1.12	0.50 0.20 0.48 0.37 0.34	0.69 1.07 0.42 1.18 0.71	1.50 1.23 2.54 2.47 3.19 3.29 1.95 0.82 3.58 4.11 3.37 3.29	5.85 7.77 4.83 4.63 4.70	4.41 2.88 5.00 3.44 4.32	I.43 0.42 I.30 0.92 I.04	11.69 11.07 11.13 8.99 10.06	10.0 11.0 9.0 9.0 10.0	10.72 10.0 10.26 9.0 10.65 10.0 9.83 8.0 8.07 8.0 9.02 9.0	1.02 0.80 3.01 0.20 0.88 0.86	1.02 0.97 3.01 0.55 0.88 0.86	I.0 I.0 3.0 I.0 I.0	9246 9247 9292 9032 9293 9254																
The state of the s	0.73	0.28 0.05 0.18	0.26	0.64	1.68 1.60 1.45 0.80	5.58	4.51	1.60	11.69	9.0 II.0 9.0	9.66 8.0 10.09 10.0 8.05 8.0	0.31 1.07 1.07	0.4I I.07 I.07	0.5 1.0 1.0	9258 9255																

TABLE I-NITROGENOUS SUPERPHOSPHATES.

	Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
	9256	Sampled by Station; International Agricultural Corp., Buffalo, N. Y. (Con.) Buffalo High Grade Manure. Buffalo Potash Special. Buffalo Potato and Corn.	Stafford Springs West Cheshire Waterbury	\$33.00 35.75 50.00
	8985	Kirke Chemical Co., Brooklyn, N. Y. Kirke Fertilizer	Greenwich	- §
	9262 8986 9263 9260 9261	Lister's Agricultural Chemical Works, Newark, N. J. Ammoniated Dissolved Superphosphate 1916. Complete Tobacco Manure 1916. Corn and Potato Fertilizer 1916. Potato Manure 1916. Special Tobacco Fertilizer 1916. Standard Pure Superphosphate of Lime 1916. Success Fertilizer 1916.	BurnsideBrookfieldBurnside	32.00 40.00 31.00 42.00 33.00 35.00 29.00
	9264	Lowell Fertilizer Co., Boston, Mass. Superior Fertilizer	Wethersfield	37.05
	9265	E. Manchester and Sons, Winsted, Conn.	Ellington	39.00
	9033 9034 9403 8914 9119	The Mapes Formula and Peruvian Guano Co., New York City. Corn Manure 1916 Brand. General Special 1916 Brand. Potato Manure 1916 Brand. Tobacco Manure 1916 Brand. Tobacco Starter Improved. Top Dresser Half Strength 1916 Brand. Top Dresser Full Strength 1916 Brand.	Windsor Locks. Suffield. Hartford. Windsor Locks. Hartford.	36.00 50.00 41.00 59.00 42.00 42.00 66.00
† '	9121 9037 9405 9036 8916 9035	National Fertilizer Co., New York City. Complete Root and Grain Fertilizer 1916 Eureka Potato Fertilizer 1916. Extra H. G. Manure 1916. Extra H. G. Potato Fertilizer. Potato Phosphate 1916. Tobacco Special 1916. Universal Phosphate 1916. XXX Fish and Potash 1916.	Thompsonville. So. Manchester. Warehouse Point. West Cheshire. Guilford. Warehouse Point. Wallingford. Wallingford.	39.50 38.25 41.75 54.00 39.48 30.00 30.00
	9038 9268	Olds and Whipple, Hartford, Conn. Complete Corn, Potato and Onion Fertilizer Complete Tobacco Fertilizer	Silver Lane Hartford	33.50 42.50

^{*}See page 393. †See page 387. § 30 cts. per package.

WITH POTASH—(Continued.)

Nitrogen.				Phosphoric Acid.						Potash.			
		Ι.	le.	Total.		ole.	Total	. So- "Ava	called ilable"				
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found. Guaranteed.	Water-soluble.	Citrate-insoluble.	Found,	Guaranteed,	Guaranteed.	As Muriate.	Total.	Guaranteed.	Station No.
0.19	0.05	0.28	0.58 0.50 0.48	1.02 0.80	3.24 5.3	32 1.71	10.27 9	9.0 9.29 9.0 8.56 9.0 8.58	8.0	2.03 1.90 3.90	2.03 1.90 3.90	1.0 3.0 4.0	9257 9256 8984
5.03	0.02	0.14	0.07	5.26 5.00	8.28 1.9	0.46	10.71 8	3.3 10.25	7.5	3.05	3.05	3.15	8985
1.38 0.71 0.74 0.86 0.60	0.10 0.22 1.28 0.08 0.34	0.39 0.63 1.53 0.60 0.79	0.69	2.05 2.06 3.84 4.11 2.25 2.06 4.27 4.11 2.22 2.06 2.63 2.47 1.39 1.23	2 . 32 2 . 7 I . 57 6 . I 4 . 24 4 . I 4 . 46 5 . 4 4 . 69 4 . 2	2 I . 42 3 2 . 65 I I . 82 9 2 . 65 3 2 . 57	6.46 5 10.35 9 10.17 9 12.60 11 11.49 10	0.0 8.92	4.0 8.0 8.0 10.0	0.3I 0.3I 1.03 0.23 0.47 1.02 0.87	0.93 0.97 1.03 1.08 1.36 1.02 0.87	I.0 I.0 I.0 I.0 I.0	9300 9262 8986 9263 9260 9261 9259
0.51	I . 7 9	0.55	o.68	3.53 3.69	6.24 3.0	0.50	9.75 10	0.0 9.25	9.0	1.14	1.14	1.0	9264
2.07	0.23	0.65	1.42	4.37 4.11	2.38 5.7	6 2.03	10.17	8.14	8.0	0.68	0.93	1.0	9265
4.54 3.52 4.69 3.10 4.76	0.02 0.06 0.11 0.02 0.05	0.07 0.04 0.83 0.21 0.00	0.20	5.76 5.76	2.07 4.7 5.31 3.6 0.16 5.3 2.21 4.5 0.63 2.1	4 2 . 8 I I I . 37 4 2 . 70 0 2 . 64 5 I . 45	9.62 8 10.29 8 8.20 8 9.35 8 4.23 4	7.80 6.81 8.0 8.92 8.0 5.50 6.0 6.71 8.0 2.78 6.0 6.17	6.0 8.0 5.0 6.0 2.5	0.51 0.60 0.45 0.80 0.33 0.51 1.31	I.34 I.20 0.92 I.53 0.96 I.31 2.00	I.0 I.0 I.0 I.0 I.0	8987 9033 9034 9403 8914 9119 9118
0.45 1.26 1.08 0.16 1.12 0.26	0.66 1.39 1.02 0.61 0.08 0.18	0.21	0.94 0.61 1.51 0.87	3.64 3.29 2.61 2.47 4.10 4.11 3.98 4.11 1.91 2.06 4.59 4.53 1.04 0.82 2.19 2.06	6.11 4.1 5.53 3.6 5.78 3.9 4.67 4.5 1.46 2.5 6.11 5.3	5 0.88 5 0.95 8 0.74 6 1.16 3 0.40 1 0.91	11.14 10 10.13 9 10.50 11 10.39 9 4.39 4 12.33 11	0.0 10.26 0.0 9.18 0.0 9.76 0.0 9.23 0.0 3.99 1.0 11.42	9.0 8.0 10.0 8.0	I.00 0.86 0.97 2.62 I.02 0.20 0.71 I.03	I.00 0.99 0.97 2.62 I.02 I.21 0.93 I.03	I.O I.O 4.O I.O I.O I.O	8915 9121 9037 9405 9036 8916 9035 9120
1.18	0.07 0.10	0.55 0.23	1.85 3.39	3.65 3.30 4.76 4.50	0.316.5	4 I . 07 3 0 . 37	7.92 6 3.89 3		6.0	I.I3 0.II	2.09 I.49	2.0 I.0	9038 9268

TABLE I-NITROGENOUS SUPERPHOSPHATES.

Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
9050 9051	Sampled by Station: Olds & Whipple, Hartford, Conn. (Continued.) Complete Tobacco Fertilizer. Complete Tobacco Fertilizer. Complete Tobacco Fertilizer. Fish and Potash.	Hartford. Hartford. Hartford. Ellington.	
9271 9272	Rogers and Hubbard Co., Portland, Conn. Hubbard's Bone Base Soluble Potato Manure Hubbard's Tobacco Special Rogers' H. G. Soluble Tobacco and Potato Manure Rogers' H. G. Tobacco Grower (Vegetable Formula)	PortlandSomers	50.00 47.00 41.00
*9040 *‡9282 9274 ‡8918 8917 8919 9275	F. S. Royster Guano Co., Baltimore, Md. Arrow Head Tobacco Fertilizer. Dreadnaught Fertilizer. Dreadnaught Fertilizer. Drillwell Phosphate. Logical Compound. Pipe of Peace Tobacco Fertilizer. Sensation Fertilizer Trucker's Delight. True Blue Compound.	Madison. New Britain. Madison. West Suffield. Glastonbury. Plainville. Madison.	45.25 36.00 42.00 35.00 38.50 40.00 54.00
8908 9277 9042 9276 9283 9278	Potato Manure	Plainville. Glastonbury. East Hampton. Guilford. Bloomfield. Branford. Stafford Springs. East Hartford.	36.00 41.00 33.00 38.00 33.25 35.00
9057 9058 9059 9284 9285	Virginia-Carolina Chemical Co., New York City. Indian Brand for Tobacco No. I. Indian Brand for Tobacco No. 2 (Sulph.). Owl Brand Potato and Truck Fertilizer with 1% Potash. XXXX Fish and Potash Mixture.	Hazardville Southwick, Mass. Windsor Locks. Weatogue. Hazardville. Shelton. Bristol.	42.00
	Wilcox Fertilizer Co., Mystic, Conn. Fish and Potash	MeridenEllington	

WITH POTASH—(Continued).

Nitrogen.						Phosphoric Acid.						Potash.				
	'	,	le.	Tot	tal.			ole.	То	tal.	So-ca "Availa	lled able.''				
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	As Muriate.	Total.	Guaranteed.	Station No.
0.49	0.06	0.96	3.58 3.42 I.72	4.93 4.60	4.50 4.50 4.50 2.45	0.81	2.75	0.43	3.83 3.99 3.88 8.65	3.0	3.41 3.56 6.54	3.0 3.0 3.0 6.0	0.31 0.31 0.31 1.75	2.45 2.31 2.36 2.62	2.0 2.0 2.0 2.0	9049 9050 9051 9269
1.79 1.64	0.13 1.19	0.54	0.96 3.06 0.94 3.53	5.35 4.31	5.00	0.34	3·94 8.27	0.50 4.94	13.30	5.0 12.0	8.38 4.28 8.36 4.27	4.0	0.20 0.20 0.20 0.11	0.93 0.88 1.02 0.93	I.0 0.5 I.0 0.5	9039 9271 9272 9273
0.13 0.69 0.21 0.17 0.48 0.18	0.79 0.27 I.17 0.55 0.83 0.72 I.37	0.40 0.33 0.46 0.60 0.33 0.58 0.82	0.79	2.02 1.74 2.80 1.94 3.94 3.41 3.55	4. II I. 65 I. 65 2. 47 I. 65 4. II 3. 29 3. 29 3. 29	5. I 5 5. 47 5. 37 5. 45 I. 58 6. 22 4. I 7	3 · 34 2 · 62 2 · 99 2 · 69 1 · 36 2 · 25 4 · 14	0.72 I.20 0.67 0.65 0.19 0.70	9.21 9.29 9.03 8.79 3.13 9.17 9.17	8.5 8.5 8.5 3.5 8.5 8.5	4.17 8.49 8.09 8.36 8.14 2.94 8.47 8.31 9.07	4.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0	0.20 0.40 0.25 0.20 0.20 0.25 0.40 0.55 0.60	1.96 1.62 1.86 0.84 0.97 1.03 1.07 3.64 2.71	2.0 2.0 I.0 I.0 I.0	9289 9040 9282 9274 8918 8917 8919 9275 9041
1.00 0.31 0.50 1.51 0.93 0.20	0.14 0.21 0.61 0.11 0.06	0.06 0.49 0.71 0.53 0.56 0.72	0.97 3.31 1.38 1.49 1.27 1.16 1.56	4.51 2.39 3.31 3.42 2.71 2.60	4.53 1.65 3.29 3.29 2.47 2.06	0.61 5.30 6.76 4.50 4.89 1.77	3.03 4.54 3.73 5.25 5.67 7.18	0.49 1.71 3.13 3.66 0.79 1.83	12.45 4.13 11.55 13.62 13.41 11.35 10.78	4.0 II.0 IO.0 IO.0 IO.0	9.49 3.64 9.84 10.49 9.75 10.56 8.95 8.54	9.0 3.0 10.0 9.0 9.0 9.0 8.0	0.90 0.31 0.85 0.90 0.31 0.20 1.21 1.66	0.90 1.04 1.06 1.13 0.95 0.87 1.21 1.66	I.0 I.0 I.0 I.0	9043 8908 9277 9042 9276 9283 9278 9301
			I.96	4.48 4.48 4.39	4.11 4.11 4.11 4.11 4.11				5.54 5.80 6.14	5.0 5.0 5.0	5.03 4.85	4.0 4.0 4.0 4.0 4.0	0.20 0.20 0.20 0.20 1.00	1.93 1.98 1.96 1.95 1.00	2.0 2.0 2.0	9056 9057 9058 9059 9284
-		0.41	0.77	1.90		6.55	2.71	1.50	9.83 10.76	9.0	8.56 9.26	8.0 8.0	1.05 0.94 0.31	I.05 0.94 0.39		9285 8920 8887
				4.08	4.12	6.12	2.81	0.54	9.47	9.0	8.93		0.76		1.0	9124

TABLE I. - NITROGENOUS SUPERPHOSPHATES.

	The state of the s		
Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
9122	Sampled by Station: Wilcox Fertilizer Co., Mystic, Conn. (Continued.) Potato Fertilizer. Potato, Onion and Vegetable Phosphate. Tobacco Special.	Guilford	\$33.00 36.00 40.00
9125	S. D. Woodruff & Sons, Orange, Conn. Home Mixture	Orange	36.00
8704 8705 8833 8834 8961 9396	Sampled by Purchasers and Others: Quinnipiac Wrapper Leaf Brand Quinnipiac Wrapper Leaf Brand Quinnipiac Wrapper Leaf Brand Rogers' H. G. Tobacco Grower Vegetable Formula. Rogers' H. G. Tobacco Grower Vegetable Formula. Sanderson's Fish, Bone and Potash Sanderson's Kelsey's Bone, Fish and Potash	and Co. Hartford;—L. B. Haas and Co. Hartford;—L. B. Haas and Co. West Suffield;—H. C. Nelson. West Suffield:—H. C. Nelson. West Cheshire:—Whitcomb & Hadley. Branford:—A. E. Plant Sons' Co.	37.50 37.50 37.50 29.75
	Unknown brand	Brookfield Center: — E. A. Talmadge S. Windsor: — W. N. Jennings	

WITH POTASH—(Concluded.)

-	Nitrogen.							Pho	sphoric	Acid.				Potash.		
		ľ	le.	Tot	al.			le.	То	tal.	So-ca "Avail	alled lable.''				
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	As Muriate.	Total.	Guaranteed.	Station No.
.oi	0.10	0.48	1.30 1.43 3.78	4.02	3.72	6.04 4.62 0.36	3.89	2.01	12.33 10.52 6.04	9.0	8.74 8.51 5.53	8.0	0.31 0.40 0.15	0.41 0.63 1.10	0.5	9303 9122 9123
.76	0.10	I.27	1.50	3.63	3.30	5 · 45	.2.99	0.78	9.22		8.44	8.0	0.62	0.62	1.0	9125
				4.60	4 · 53		. ,		4.09	4.0		3.0		0.97	1.0	8730
				4.59	4 · 53				4.20	4.0		3.0		0.97	1.0	8704
				4.55	4 · 53				4.41	4.0		3.0		0.92	1.0	8705
				5.14	5.00				5.31	5.0		4.0	0.23	1.07	0.5	8833
				5.21	5.00				5.31	5.0		4.0	0.23	1.06	0.5	8834
				2.10					12.26				0.89	0.89		8961
				2.58	2.47				11.60	10.0		9.0		1.03	1.00	9396
				3.52					8.12					5.14		8812
	l			3.90		3.48	3.92	1.61	9.01		7.40		0.39	0.39		9399

TABLE II—NITROGENOUS SUPERPHOSPHATES

-			T
Station No.	Manufacturer and Brand.	Place of Sampling,	Dealer's cash price per ton.
9000 8965 9307 †9306 9001 9006 9002 9064 9067 9076 8928 9066 9005 *9068 *9319 9078	Sampled by Station Agent: American Agricultural Chemical Co., New York City. Ammoniated Fertilizer AA. Ammoniated Fertilizer AAA. Ammoniated Fertilizer AAAA. Cereal and Root Fertilizer. High Grade Grass Top Dressing without Potash. Odorless Grass and Lawn Top Dressing without Potash. Special Vegetable Fertilizer. Bradley's General Fertilizer. Bradley's Grass Top Dressing without Potash. Bradley's Grass Top Dressing without Potash. Bradley's Grass Top Dressing without Potash. Bradley's Special Fortilizer. Bradley's Special Corn Phosphate without Potash. Bradley's Special Potato Phosphate without Potash. Bradley's Special Potato Manure without Potash. Bradley's Tobacco Manure without Potash. Bradley's Universal Crop Phosphate East India Tobacco Special without Potash. Quinnipiac Special Corn Manure without Potash. Quinnipiac Wrapper Leaf Brand Tobacco Manure without Potash. Quinnipiac Wrapper Leaf Brand Tobacco Manure without Potash. Williams and Clark's Seed Leaf Tobacco Manure without Potash. Williams and Clark's Special Americus Corn Phosphate without Potash. Williams and Clark's Special Americus Potato Manure without Potash.	Plantsville. East Hampton East Hampton Milford. Rockville. Rockville. Stafford Springs. New London. Putnam. Norwich. Norwich. Black Hall. Norwich. Groton. Black Hall. Hazardville. Ellington. Burnside. New London. Plainfield. Windsor. South Manchester. Ellington.	29.06 32.06 32.06 32.06 32.06 32.06 42.06 30.06 42.00 35.00 28.00 34.00 39.50 35.50 31.00 28.00 35.75 35.75 36.00
9070 9079 9071 8988 9080 9169 8899 9315	Apothecaries Hall Co., Waterbury, Conn. Victor Corn, Fruit and All Crops. Victor Market Gardeners Special. Victor Potato and Vegetable Special. Victor Tobacco Special (C. S. M.). Victor Top Dresser for Grass and Grain. Armour's Fertilizer Works, Chrome, N. J. 3-10-0. 5-10-0.	Ellington. Windsorville. Windsorville. Windsorville. Waterbury. Windsorville. Hazardville. Hazardville. New Canaan.	32.00 40.00 36.00 38.00 46.00 32.25 35.00 40.00
9090 9088 9089 8898 †9316	Atlantic Packing Co., New Haven, Conn.	Manchester	38.00 28.00 32.00 38.00 37.00 40.00

[†] See page 387. * See page 393.

WITHOUT POTASH.

		Nitro	gen.			Phosphoric Acid.							
			u l	To	tal.	1		le	Tota	.1.	So-cal "Availa	lled ble."	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble	Found,	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
0.16 0.12 0.85 0.90 0.59 3.15 2.24 1.27 0.52 0.44 2.61 1.14 0.62 0.633 1.00 0.26 0.38 0.60	0.52 0.50 0.82 0.10 0.81 0.06 0.47	0.33 0.90 0.69 0.57 0.47 0.52 0.36 0.51 0.48 0.10 0.38 1.65 0.26 0.31 0.41 0.37 0.36	0.49 0.71 0.67 0.61 0.79 0.59 0.60 0.38 0.23 0.58 0.51 0.35 0.36 0.55 3.13	1.12 1.98 2.71 3.44 2.69 6.08 4.90 3.51 1.80 2.78 4.66 2.66 4.57 1.66 2.02	0.82 1.65 2.47 3.29 1.65 4.11 3.29 1.65 1.65 1.65 4.53 2.47 4.53 2.47 4.53 1.65	6.16 5.55 5.65 6.869 7.65 6.71 5.46 6.36 6.420 6.36 6.1.58 6.13	4·49 4·46 4·33 3·85 2·83 2·87 3·99 4·73 3·34 4·49 4·69 2·61 3·98 2·15 4·73	1.29 1.96 1.88 1.23 2.07 0.92 0.87 1.75 0.56 0.73 1.79 0.97 0.88 0.37 1.24 0.52 1.65	II.94 II.97 II.86 II.86 II.30 9.67 II.74 II.58 II.58 II.90 4.18 II.58 4.25 II.37	11.0 11.0 11.0 11.0 9.0 11.0 11.0 11.0 1	10.65 10.01 9.98 10.63 10.94 8.75 10.52 9.99 9.71 10.37 8.80 10.07 10.39 11.11 10.30 3.81 10.34 3.73 10.33 10.13	10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0	8964 9000 8965 9307 9306 9001 9002 9064 9067 9003 8927 9076 9065 9126 9005
0.82		0.22	3.27	4.39	4.53	2.39	1.53	0.46	4.38	4.0	3.92	3.0	9068
0.87	0.10	3.	58	4.55	4.53	2.17	1.58	0.47	4.22	4.0	3.75	3.0	9319
0.85	0.10	0.27	3.12	4.34	4.53	1.62	2.37	0.33	4.32	4.0	3.99	3.0	9078
0.73	0.41	0.37	0.34	1.85	1.65	6.14	4.26	1.33	11.73	11.0	10.40	10.0	9069
0.68	0.40	0.38	0.35	1.81	1.65	6.58	4 · 37	1.28	12.23	11.0	10.95	10.0	9077
0.38	0.48 1.70	0.51 0.51 0.60	0.83 1.22 0.60 2.00 1.69	4.30	2.47	8.30 8.03 8.34 3.06 3.67	2.74 2.29 2.28 1.78 2.55	2.20 0.87 2.16 0.70 0.87	13.24 11.19 12.78 5.54 7.09	11.0 11.0 11.0 5.0 6.0		10.0 10.0 10.0 4.0 5.0	9070 9079 9071 8988 9080
0.13 2.20 0.97	0.04	0.58	1.71 1.27 1.63 3.12	1 ' -	3.29 4.11	7.29 6.07 7.46 2.79	2.79 2.00 2.89 1.61	0.60	11.35 9.34 10.95 5.21	10.5 8.5 10.5 4.5	10.08 8.07 10.35 4.40	10.0 8.0 10.0 4.0	9169 8899 9315 9090
0.08 0.22 0.39 0.88	0.74 1.35 0.08	0.72 0.78 1.03	0.86 0.94 1.76	3.46	2.46 3.28 4.10			0.47 0.77 1.69	11.36 10.99 11.83 8.47 11.13	11.0 11.0 11.0 7.0	10.52 11.06 6.78	10.0 10.0 10.0 6.0 10.0	9088 9089 8898 9316 8897

TABLE II-NITROGENOUS SUPERPHOSPHATES.

	1		
Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton,
9081 9008 9091 9007 8929	Sampled by Station Agent: Berkshire Fertilizer Co., Bridgeport, Conn. Ammoniated Bone Phosphate. Economical Grass Fertilizer. Grass Special. Market Garden Fertilizer. Potato and Vegetable Phosphate. Root Fertilizer. Tobacco Grower.	Norwich Town. Rockville. Centerbrook. Westport. Westport. Waterbury. Rockville.	\$24.00 50.00 42.00 48.00 38.00 36.00 36.00
	F. E. Boardman, Middletown, Conn. Fertilizer for Potatoes and General Crops Tobacco Fertilizer	Middletown	34.00 35.00
9009 8903 8930 8902 9083 8901 9084 9094 8931	One Ten Sure Crop. Stockbridge Five Eight General Crop. Stockbridge Five Early Crop. Superphosphate with Ammonia 2%. Superphosphate with Ammonia 3%. Superphosphate with Ammonia 4%. Superphosphate with Ammonia 5%. Three Ten All Round. Tobacco Grower 1916. Two Ten Corn.	Rockville	33.00 54.00 27.00 38.00 39.00 31.00 35.00 36.50 33.00 38.00 39.00
		GuilfordGuilford	34.00 40.50
8989	E. D. Chittenden Co., Bridgeport, Conn. Vegetable and Onion Grower without Potash	Greens Farms	29.00
8904	E. B. Clark Seed Co., Milford, Conn. Ammoniated Bone Phosphate	Stratford	30.50
9086 9287 9095 9096 9072	The Coe-Mortimer Co., New York City. Connecticut Wrapper Grower without Potash. Excelsior Potato Fertilizer 1916. H. G. Ammoniated Superphosphate 1916. Morcoe Top Dresser without Potash. Prolific Crop Producer 1916. XXV Ammoniated Phosphate 1916.	Somersville	40.00 34.00 55.00 27.00
9170 §9097 9074 9098	Essex Fertilizer Co., Boston, Mass. Potato, Corn and Vegetable Fertilizer Potato Manure	Willimantic Ellington South Manchester South Manchester	37.00 40.00 38.00 41.00 30.00

[§] Market Garden and Potato Manure shipped under wrong brand name.

WITHOUT POTASH—(Continued.)

		Nitro	gen.			Phosphoric Acid.							
			le.	То	tal.			ole.	Tota	1.	So-ca "Availa	lled .ble.''	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
6.82 3.83 0.98 0.81 0.14	0.02 0.12 0.12 0.25 0:10 1.10	0.18 0.84 0.31 1.11 0.44 0.41 1.10	0.96 0.65 0.75 1.14 0.67 1.31 2.38	1.16 8.43 5.01 3.48 2.02 2.96 4.92	0.80 7.40 5.00 3.30 1.70 2.50 4.50	9.30 0.01 5.59 2.86 9.20 4.61 2.76	2.37 5.96 2.28 5.47 2.06 3.49 3.20	0.23 1.05 1.05 1.47 0.59 1.62 0.19	11.90 7.02 8.92 9.80 11.85 9.72 6.15	11.0 8.0 6.0 9.0 11.0 9.0	11.67 5.97 7.87 8.33 11.26 8.10 5.96	10.0 4.0 5.0 8.0 10.0 8.0 5.0	8900 9081 9008 9091 9007 8929 9082
1.16 0.96	0.24 0.47	0.54 0.58	I.58 I.57	3 · 5 ² 3 · 5 ⁸	3.30	1.02 1.54	6.63 6.14	o.63 o.67	8.28 8.35		7.65 . 7.68	7.0 7.0	9092 9093
0.80 3.50 0.40 0.54 0.31 0.22 0.49 0.95 0.64 1.08 0.60	1.10 3.82 0.32 1.92 1.93 0.40 0.75 1.51 0.46 0.08 0.52	0.97 0.58 0.13 0.61 0.46 0.56 0.45 0.61 0.70 0.07 0.33 0.23	0.65 0.38 0.25 1.24 1.33 0.64 0.69 0.61 1.18 0.88 3.01 0.34	3.52 8.28 1.10 4.31 4.03 1.82 2.38 3.42 4.06 2.68 4.24 1.79 1.93	3.29 8.29 0.82 4.11 1.65 2.47 3.29 4.11 2.47 4.11 1.65	6.64 4.45 5.74 5.28 6.88 5.45 7.08 5.38 5.55 1.86 6.04	3.62 1.75 4.13 3.11 3.40 5.26 3.61 3.44 4.68 2.64 4.05 3.92	1.64 0.27 1.06 1.46 1.41 1.30 0.99 1.27 1.34 1.71 0.36 1.68	11.90 6.47 10.93 9.85 11.69 12.01 12.15 11.96 10.16 11.94 4.86 11.77	11.0 6.0 11.0 9.0 11.0 11.0 9.0 11.0 5.0 11.0	4.50 10.09	10.0 5.0 10.0 8.0 10.0 10.0 10.0 8.0 10.0 10.0	9127 9010 9009 8903 8930 8902 9083 8901 9084 9094 8931 9011 9085
0.44 1.55	1.36	0.77 0:52	0.98 1.01	3·55 4·63	3.29 4.92	6.89 4.96	4.27 5.36	0.87 1.92	12.03 12.24	9.0	11.16	10.0	8967 8932
1.27	0.15	0.63	0.84	2.89	2.47	7.72	2.96	1.00	11.68	II.0	10.68	10.0	8989
0.21	1.95	0.40	0.91	3 · 47	3.29	7.15	3.25	1.74	12.14	11.0	10.40	10.0	8904
I.07 0.29 I.02 3.37 0.80	0.86 3.91	0.17 0.49 0.39 0.59 0.73 0.55	3.10 1.39 0.47 1.03 1.11	4.31 2.74	4.53 4.11 2.47 8.23 3.29 0.82	1.76 7.20 6.29 3.62 5.56 5.44	2.31 2.61 4.07 1.86 4.43 4.99	0.43 1.84 1.09 0.20 1.19 1.16	4.50 11.65 11.45 5.68 11.18 11.59	4.0 11.0 11.0 6.0 11.0	5.48 9.99	3.0 10.0 10.0 5.0 10.0	9086 9287 9095 9096 9072 8990
0.38 0.51 0.68 0.48 0.33	0.76 0.98 0.58	1.18	1.23 0.81 0.34 1.94 0.44	2.81 3.30 4.18	4.10	7.89 7.89 7.13 4.02 7.80	4.51 3.97	1.13 0.73 0.86 1.32 0.90	12.15 12.50 9.31	11.0 11.0 11.0 7.0 11.0	11.42 11.64	10.0 10.0 10.0 6.0 10.0	9170 9097 9074 9098 9073

TABLE II—NITROGENOUS SUPERPHOSPHATES.

Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
8969 9087 8968 8905	Corn and Grain Fertilizer	New Britain. Norwich. Meriden. Guilford. Suffield. Windsor.	\$35.00 35.00 58.00 35.00 35.00
9099 8991 9314 9129 †9130	International Agricultural Corporation, Buffalo, N. Y. Buffalo Farmers Choice. Buffalo New England Special. Buffalo Standard. Buffalo Tobacco Grower. Buffalo Top Dresser. Buffalo Vegetable and Potato.	Plainfield West Cheshire. East Haven. East Granby. Thompsonville. Plainfield.	32.00 25.50 38.00 45.00 34.00
9134 9133 8992	Celebrated Tobacco Fertilizer without Potash Complete Tobacco Fertilizer without Potash Plant Food 1916 Superior Ammoniated Superphosphate 1916	Stratford	34.00
9149 8971 9147 9146 9136 9145	Market Garden Special Grass and Lawn Dressing Potato, Corn and Vegetable Potato Manure Potato Phosphate.	Moosup Wallingford Southington Rockville Warehouse Point Saybrook Southington Somers	32.50 30.00 29,00 42.00 37.00 35.00 40.00
9150	E. Manchester and Sons, Winsted, Conn. 1917 Formula	Ellington	
‡8972 9151 8973	The Mapes Formula and Peruvian Guano Co., New York City. 5% Ammonia Special. 1917 Special.	Hartford. Ellington. Norwich.	38.00 34.00 35.00
9152 9153 9154 8993 9155 9171	National Fertilizer Co., New York City. H. G. Top Dressing without Potash. Nitrogen Phosphate Mixture No. 1. Nitrogen Phosphate Mixture No. 3. Nitrogen Phosphate Mixture No. 3. Nitrogen Phosphate Mixture No. 4. Nitrogen Phosphate Mixture No. 5. Nitrogen Phosphate Mixture No. 6. Tobacco Special without Potash.	Granby. Winsted. Ridgefield. Newington. West Cheshire. Ellington. Ellington. Thompsonville.	60.00 25.00 45.00 33.00 33.00 39.50

[†] See page 387. ‡ See page 390.

WITHOUT POTASH—(Continued.)

		Nitro	ogen.			-	Pho	sphoric A	.ciá.			
			le.	Total.			Je.	Tota	11.	So-ca "Availa	lled ble.''	
In Nitrates,	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
0.34 0.03 0.91 0.44 0.69 0.15	0.09 I.44 I.29 0.09	0.69 0.84 0.73 0.71 1.61 1.08	0.79 0.84 1.06 0.93 1.82 2.20	2.30 1.80 4.14 3.37 4.21 4.44 4.	6.60 7.61 7.61 7.61 7.07 10 3.60	$\begin{array}{c} 4.00 \\ 3.23 \\ 4.13 \\ 3.75 \end{array}$	0.78 0.59 0.58 0.79 1.43 1.27	11.81 11.19 11.42 11.99 8.78 8.87	11.0 11.0 11.0 11.0 7.0 7.0	10.60 10.84 11.20 7.35	10.0 10.0 10.0 10.0 6.0 6.0	8970 8969 9087 8968 8905 9128
0.49 0.46 1.67 0.19 2.66 1.12	0.08 1.90 0.83	0.12 0.71 0.80 0.27 0.61 0.61	0.40 0.55 0.95 1.59 0.68 0.40	1.06 0.1.84 1.3.50 3.3.95 4.4.78 5.2.22 2.	50 3.43 30 3.24 10 2.66 30 2.30	6.90 6.58 2.38 5.66	1.57 3.34 0.73	11.90 13.16 5.77 9.98	11.0 11.0 11.0 5.0 7.0 11.0	10.33 9.82 5.04 7.96	10.0 10.0 10.0 4.0 6.0 10.0	9099 8991 9314 9129 9130 9131
1.35 0.23 1.05 0.14 0.70	0.07 1.04 0.22	0.47 0.65 1.12 0.36 1.18	1.06 3.65 0.96 0.60 1.24		53 2.40 11 1.14 32 5.59	1.16 3.84 4.67			9.0 4.0 5.0 II.0	3.56 4.98 10.26	8.0 3.0 4.0 10.0	9135 9134 9133 8992 9132
0.32 0.37 0.05 0.53 0.74 0.38 0.54	0.11 0.07 1.66 1.49 0.65 1.22	0.74 0.74 0.59 1.32 0.81 0.72 0.76 1.71	0.98 0.84 0.72 1.47 0.94 0.94 0.88 2.19	2.62 2. 2.06 2. I.43 I. 4.98 4. 3.98 4. 2.69 2. 3.40 3. 4.22 4.	05 6.79 25 7.76 92 5.40 10 8.02 46 7.43 28 7.31	3 · 43 4 · 00 4 · 05 3 · 15 3 · 83 3 · 83	1.19 0.79 0.50 0.84	11.73 12.87 10.64 11.96	II.0 II.0 II.0 9.0 II.0 II.0	10.22 11.76 9.45 11.17 11.26 11.11	10.0 10.0 10.0 8.0 10.0 10.0 10.0	9137 9149 8971 9147 9146 9136 9145 9148
0.67	0.44	0.62	1.39	3.12 2.	6.58	4.02	2.09	12.69		10.60	10.0	9150
3.50 3.72 2.96	0.06	0.09 0.22 0.29	0.50 0.53 0.50	4.13 4. 4.53 4. 3.78 3.	[2] 4.97	4.09		11.13	10.0 10.0 10.0	9.06	8.0 8.0 8.0	8972 9151 8973
2.59 0.03 0.45 0.36 0.78 1.62 0.28 1.28	0.10 0.55 0.62 1.35 1.13 2.26	1.30 0.36 0.18 0.52 0.50 0.66 0.41 0.01	1.03 0.52 0.64 1.03 0.66 0.80 1.39 3.58	1.82 1. 2 53 2. 3.29 3. 4.21 4. 4.34 4.	32 4.6; 55 7.31 47 6.2; 29 6.44 11 5.60 11 6.92	5.95 3.32 4.25 4.27 3.48 2.3.15	1.01 1.27 1.01 1.42 1.56	11.63 11.90 11.51 12.13 10.64 11.64	6.0 II.0 II.0 II.0 9.0 II.0	10.62 10.63 10.50 10.71 9.08 10.07	5.0 10.0 10.0 10.0 10.0 8.0 10.0 3.0	9156 9152 9153 9154 8993 9155 9171 8974

TABLE II—NITROGENOUS SUPERPHOSPHATES.

	The state of the s		
Station No.	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
9223 9222 †9173 9174	Sampled by Station Agent: New England Fertilizer Co., Boston, Mass. Corn and Grain Fertilizer. Corn Phosphate. High Grade Potato Fertilizer. Potato Fertilizer. Special Tobacco Manure. Superphosphate.	Rockville	\$29.00 36.00 34.00 40.00 35.00
9176 8995 9052 9053 9054	Olds and Whipple, Hartford, Conn. High Grade Tobacco Starter. Special Grass Fertilizer. Special Phosphate. Tobacco Special Fertilizer. Tobacco Special Fertilizer. Tobacco Special Fertilizer. Tobacco Special Fertilizer.	Windsor. Hartford. Silver Lane Hartford. Hartford. Hartford. Hartford. Hartford.	38.50 33.50 37.50 37.50 37.50 37.50
8975 9178 9317	Parmenter and Polsey Fertilizer Co., Boston, Mass. Grain Grower. Plymouth Rock Brand. Potato Fertilizer. Special Tobacco Grower. Star Brand Superphosphate.	Plantsville. Highwood. Bloomfield. Windsor. Plantsville.	30.00 32.00 40.00 32.00
9180 9193 9199 9200 9195 9201 9202 **89347 9203 9194 9196 9197	The Rogers and Hubbard Co., Portland, Conn. Hubbard's Bone Base Oats and Top Dressing. Hubbard's Bone Base Soluble Corn and General Crops Manure. Hubbard's Bone Base Soluble Tobacco Manure. Rogers' All Soils—All Crops Phosphate. Rogers' Climax Tobacco Brand. Rogers' Complete Phosphate. Rogers' H. G. Oats and Top Dressing. Rogers' H. G. Soluble Corn and Onion Manure. Rogers' H. G. Soluble Tobacco Manure. Rogers' H. G. Soluble Tobacco Manure. Rogers' Potato Phosphate R. and H. All Soils—All Crops Phosphate R. and H. Complete Phosphate. R. and H. Potato Phosphate. R. and H. Potato Phosphate. R. and H. Valley Tobacco Brand.	Branford. Branford. Portland. Portland. Portland. Black Hall. Somers. Black Hall. Milford. Wapping. Mansfield Depot. Wethersfield. Willimantic. Stafford Springs. Portland.	52.00 38.00 41.50 30.00 35.00 45.00 43.00 34.00 33.00 40.00
*9225 *9348 *9228 *9404 9227 9204 9229	F. S. Royster Guano Co., Baltimore, Md. Curfew Ammoniated Superphosphate. Curfew Ammoniated Superphosphate. Goodwill Ammoniated Superphosphate. Goodwill Ammoniated Superphosphate. Innovation Ammoniated Superphosphate. Penguin Ammoniated Superphosphate. Stevens' Formula	Branford. Madison. Plainville. Windsor. Branford. Waterbury. Glastonbury. Windsor.	37.00 34.00 39.50 38.25 32.00 30.00 36.00 38.50

[†] See page 387. * See page 393.

WITHOUT POTASH—(Continued.)

===		Nitro	gen.			Phosphoric Acid.							
			.e	Tot	al.			le.	Tota	1.	So-cal	led ble."	
In Nitrates.	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
0.04 0.10 0.63 0.30 0.71 0.59	0.12 0.42 1.12 0.62 0.09 0.78	0.51 0.72 0.63 0.92 1.01 0.71	0.69 0.78 0.93 0.49 2.29	1.36 2.02 3.31 2.33 4.10 2.98	1.23 2.05 3.28 2.46 4.10 2.87	5.91 7.58 7.46 5.53 4.09 7.65	3.72 3.74 3.72 4.00 3.53 3.67	1.83 0.91 0.87 2.12 1.18 0.58	11.46 12.23 12.05 11.65 8.80 11.90	11.0 11.0 11.0 11.0 7.0	9.63 11.32 11.18 9.53 7.62 11.32	10.0 10.0 10.0 10.0 6.0	9172 9223 9222 9173 9174 8994
3·37 1·92 1·58 0·96	0.21 0.10 0.04 0.07	0.21 0.75 0.89 0.39	5.85 2.78 2.07 3.08	9.64 5.55 4.58 4.50 4.31 4.16 4.26	9.06 4.95 4.11 4.11 4.11 4.11	2.49 0.79 0.56 1.65	2.41 3.24 3.28 2.14	0.60 3.07 3.54 0.37	5.50 7.10 7.38 4.16 3.94 3.58 3.67	3.0 4.0 4.0 3.0 3.0 3.0	4.90 4.03 3.84 3.79	3.0 4.0 4.0 3.0	9175 9176 8995 9052 9053 9054 9055
0.05 0.56 0.04 0.18 0.32	0.06 0.78 0.50 0.04 0.69	0.70 0.83 0.73 1.50 0.62	0.68 0.99 0.76 2.18 0.79	1.49 3.16 2.03 3.90 2.42	1.23 2.88 2.05 4.10 2.46	7.99 7.51 7.40 4.08 7.11	2.96 3.89 3.75 3.44 3.55	0.97 0.60 0.75 1.24 0.55	11.92 12.00 11.90 8.76 11.21	II.0 II.0 II.0 7.0 II.0	10.95 11.40 11.15 7.52 10.66	10.0 10.0 10.0 6.0 10.0	9177 8975 9178 9317 9179
5.31	0.14	0.37	0.44	6.26	6.00	0.00	6.52	6.32	12.84	12.0	6.52	6.0	8996
0.54 2.97 2.53 0.93 0.20 5.71 0.54 1.61 2.20 0.45 2.66 0.17 0.32 1.68	0.14 0.70 1.75 1.32 0.56 0.34 0.21 1.02	0.33 0.43 0.29 0.27 0.26 0.51 0.60 0.55 0.48 0.37 0.21	0.79 0.85 0.68 2.50 0.57 0.38 0.86 1.04 0.91 0.66 0.52 0.71 0.62 2.53	2.50 5.04 3.49 4.82 1.09 6.49 2.61 5.00 4.93 2.22 4.00 1.46 2.17 4.74	2.50 5.00 3.30 4.12 1.00 6.00 2.50 5.00 2.00 3.30 1.00 2.00 4.12	1.45 0.02 3.70 0.03 3.67 0.00 0.78 0.07 0.21 6.36 2.15 3.77 9.58 0.12	7.78 9.33 3.96 1.98 3.38 6.58 8.73 8.65 8.51 5.47 4.55 3.66 4.89 1.86	4.55 3.51 1.41 1.88 2.61 5.65 4.63 4.25 4.12 3.85 2.15 2.92 1.29	13.78 12.86 9.07 3.89 9.66 12.23 14.14 12.97 12.84 15.68 8.85 10.29 15.76	12.0 8.0 4.0 9.0 12.0 12.0 12.0 14.0 9.0 14.0 4.0	7.66 2.01 7.05 6.58 9.51 8.72 8.72 11.83 6.70 7.37 14.47	10.0 10.0 7.0 3.0 8.0 6.0 10.0 10.0 10.0 13.0 7.0 8.0 13.0	9180 9193 9199 9200 9195 9201 9202 8997 9203 9194 9196 9197 9198
0.07 0.04 0.16 0.14 0.04 0.12 0.16	I.80 I.92 I.03 0.82 0.89	0.55 0.50 0.46 0.50 0.24	I.00 I.13 I.38 I.68 0.88 0.50 2.59 2.89	3.02 3.22 3.84 4.20 2.45 1.68 4.01 4.11	3.29 3.29 4.11 4.11 2.47 1.65 4.11 4.11	6.69 6.16 6.57 6.89 6.00 6.28 3.59 3.27	2.34 2.06 1.96 1.57 2.29 3.88 2.60 2.71	0.51 0.68 1.37 1.04	8.97 8.97 11.53 7.23	8.5 8.5 8.5 8.5 8.5 10.5 6.5	8.22 8.53 8.46 8.29 10.16 6.19	8.0 8.0 10.0 6.0	9225 9348 9228 9404 9227 9204 9229 9226

TABLE II—NITROGENOUS SUPERPHOSPHATES.

	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
Š	Mandracturer and Brand.	l lace of bamping.	ca er t
Station No.			r's D
atic			rice
St		*	D d
	Sampled by Station Agent: Sanderson Fertilizer and Chemical Co., New Haven, Conn.		
*8907	H. G. Ammoniated Phosphate	Stratford	\$33.00
*9075		Orange	30.50
*9308	H. G. Ammoniated Phosphate	Highwood	
9224	Phosphate without Potash	Plainville	30.00
8906	Special without Potash	Stratford	29.25
9231	The C. M. Shay Co., Groton, Conn.	Groton	33.00
0000	M. L. Shoemaker and Co., Philadelphia, Pa.		
8998	"Swift-Sure" Superphosphate for Tobacco and Gen-	TT (C 1	-
	eral Use	Hartford	39.00
	Springfield Rendering Co., Springfield, Mass.		
9230	Animal Fertilizer	Thompsonville	33.00
0200		Thompson vine	33.00
	Virginia-Carolina Chemical Co.,		
	New York City.		
9233	Ammoniated Bone Phosphate for all Crops	Norwich	28.00
8999	H. G. Corn and Vegetable Compound without Potash	Norwich	32.00
9232	Indian Brand for Tobacco (C. S. M.) without Potash	Glastonbury	35.65
9309	Special Top Dresser	Winsted	40.00
3310	20th Century 1 otato Manure without 1 otasit	winsted	37.00
	Wilcox Fertilizer Co., Mystic, Conn.		
9311	Complete Bone Superphosphate	Rockville	26.00
9048	Corn Special	Hartford	34.50
0000	C P (III	3.6 . 1	
8886	Grass Fertilizer	Meriden	30.50
	Worcester Rendering Co., Auburn, Mass.	1	
9312	Royal Worcester Corn and Grain Fertilizer	Norwich	28.00
9313	Royal Worcester Potato and Vegetable Fertilizer.	Norwich	33.00
			00
	Sampled by Purchasers and Others:		
8713	Amer. Agr. Chem. Co.'s Complete Tobacco Fertilizer		
	without Potash	E. Windsor Hill:—Kei-	
0714	A A Class C C 1 . C T T T	ser & Boasberg Plant.	37.50
0114	Amer. Agr. Chem. Co.'s Complete Tobacco Fertilizer	E. Windsor Hill:-Kei-	
	without Potash	ser & Boasberg Plant.	27 50
8715	Amer. Agr. Chem. Co.'s Complete Tobacco Fertilizer	ser & Doasberg Flant.	37.50
0,10	without Potash	E. Windsor Hill:-Kei-	
		ser & Boasberg Plant.	37.50
8716	Amer. Agr. Chem. Co.'s Complete Tobacco Fertilizer		07.03
	without Potash	E. Windsor Hill:-Kei-	
		ser & Boasberg Plant.	37.50
0.400		C. C. I T T T	
9400	Amer. Agr. Chem. Co.'s Grain and Seeding Fertilizer	Stafford:—F. L. Upham	27.00

^{*} See page 393.

WITHOUT POTASH—(Continued.)

	Nitrogen. , Phosphoric Acid.												
	I I	Nitro	ogen. ,					Pho			So-ca	lled	
			ble.	То	tal.	e;	le,	ıble.	Tota	al.	"Availa	ible."	
In Nitrates,	In Ammonia.	Organic, water-soluble.	Organic, water-insoluble.	Found.	Guaranteed.	Water-soluble.	Citrate-soluble.	Citrate-insoluble.	Found.	Guaranteed.	Found.	Guaranteed.	Station No.
0.48 1.58 1.60 0.18 0.35	0.12 0.15 0.11 0.13 0.13	1.13 0.40 0.73 0.56 0.74	1.66 1.51 0.96 0.95 1.45	3.39 3.64 3.40 1.82 2.67	3.29 3.29 3.29 1.65 2.47	2.62 4.62 1.97 4.11	6.49 3.74 6.29 8.22 6.08	2.26	15.93 13.89 11.40 12.45 14.33	11.0 11.0 11.0 11.0	10.91 10.19	10.0 10.0 10.0 10.0	8907 9075 9308 9224 8906
0 .76	0.12	1.45	1.11	3 · 44	3.28	3.26	5.20	1.89	10.35	10.0	8.46	8.0	9231
1.06	0.05	0.96	1.63	3.70	3.29	6.97	4.21	1.59	12.77	12.0	11.18	9.0	8998
0.50	0.45	1.01	0.81	2.77	2.46	8.43	3.20	0.42	12.05	11.0	11.63	10.0	9230
0.12 0.01 1.12 0.24 0.21	0.78 1.05 0.46 1.58 1.91	0.39 0.70 0.41 1.32 0.68	0.51 0.89 2.13 1.76 1.48	1.80 2.65 4.12 4.90 4.28	1.65 2.47 4.11 4.94 4.12	6.66 7.80 1.57 6.51 9.01	2.77 2.78 2.42 2.01 1.64	1.37 0.93 6.41 1.78 0.86	10.80 11.51 10.40 10.30 11.51	11.0 11.0 5.0 9.0 11.0	3.99 8.52	10.0 10.0 4.0 8.0 10.0	9233 8999 9232 9309 9310
0.79 0.55	0.28 0.14	0.15	I.24 2.30	2.46 3.72	1.65 3.30	7.9I 4.22	2.71 5·43	o.88 3·57	II.50 I3.22	II.0 II.0	10.62 9.65	IO.0 IO.0	9311 9048
2.67	0.05	1.	84	4.56	4.12	7 · 39	3.41	1.25	12.05	9.0	10.80	8.0	8886
0.85 1.35	0.58 0.45	0.68 1.16	0.61 1.29	2.72 4.25	2.05 3.28	8.49 5.20	5.19 5.25	3.03 4.03	16.71 14.48	II.0 II.0	13.68 10.45	IO.0 IO.0	9312 9313
				4.52	4 · 53				4.64	4.0		3.0	8713
				4.58	4 · 53				4.72	4.0		3.0	8714
••••				4.52	4.53				4.50	4.0		3.0	8715
		اا		4.66	4.53				4 · 43	4.0		3.0	8716
0.73	0.74	0.	73	2.20	1.65	6.52	3.95	1.56	12.03	11.0	10.47	10.0	9400

414 CONNECTICUT EXPERIMENT STATION BULLETIN 204

TABLE II—NITROGENOUS SUPERPHOSPHATES.

			,
1	Manufacturer and Brand.	Place of Sampling.	Dealer's cash price per ton.
9	Mandiacturer and Brand.	Frace or Sampling.	i g
2			's gr
tio			rele ice
Station No.			pr
	Sampled by Purchasers and Others:	•	
8737	Quinnipiac Wrapper Brand	Hartford:—Haviland	
		Tobacco Co	\$37.50
8738	Quinnipiac Wrapper Brand	Hartford:—Haviland	
		l Tobacco Co	37.50
8739	Quinnipiac Wrapper Brand	Hartford:—Haviland	
		Tobacco Co	37.50
8962	Apothecaries Hall Co.'s Victor Potato Special	West Cheshire:-Whit-	
0444		comb & Hadley	36.00
	Frisbie's Tobacco Fertilizer	Suffield:—E. S. Seymour	32.50
	Rogers & Hubbard's All Soils—All Crops Phosphate		31.00
	Hubbard's Bone Base Soluble Tobacco Manure		42.00
	Royster's Valley Tobacco Compound		
0100	Royster's variey Tobacco Compound	Marsh	
9394	Sanderson's High Grade Ammoniated Phosphate	Branford: A F Dlant	
JJJ4	banderson's fright Grade Minimomated Phosphate	Sons Co	
9060	Sanderson's High Grade Ammoniated Phosphate	Cheshire:—T. L. Chip-	
0000			
9395	Sanderson's Top Dresser	man Branford:—A. E. Plant	
		Sons Co	
9407	Shay's 4-10	New London:- I. M.	
		Graves	37.00
8810	Virginia-Carolina Chem. Co.'s Indian Brand for To-		
	bacco without Potash	Addison:—Chas. Bell	35.65
8774	Unknown brand		
	70.00	ple	
8861	5–10 Fertilizer.	Roxbury:—J. G. Butler	

§Contains .078% of potash as muriates.

WITHOUT POTASH—(Concluded.)

	Nitrogen. Phosphoric Acid.														
		Nitro	gen.			_					llod				
			نه	To	tal				. e		Tot	al.	So-ca "Availa	able."	İ
In Nitrates.	In Ammonia.	Organic water-soluble.	Organic water-insoluble.	Found.	Guaranteed,	Water-soluble.	Citrate-soluble.	Citrate-insoluble	Found.	Guaranteed.	Found.	Guaranteed.	Station No.		
										-					
				4.58	4 · 53				4.22	4.0		3.0	8737		
				4.76	4 · 53				4.48	4.0		3.0	8738		
				4.58	4 · 53				4.80	4.0		3.0	8739		
				2.65 3.90 3.34 5.10 4.35	2.47 4.10 3.30 5.00 4.11				15.48 8.30 9.31 12.59 6.97	11.0 7.0 8.0 12.0		10.0 6.0 7.0 10.0 6.0	8962 9144 9138 9139 8751		
				4 · 45	4.11				6.68			6.0	8766		
				3 · 39	3.29				11.78	ΙΙ.Ο		10.0	9394		
				3.40	3.29				10.96	11.0		10.0	9060		
		!		3 . 39	3.29				12.60	11.0		10.0	9395		
0.11	0.38	2.4	45	2.94	3.29	2.11	4.36	1.42	7.89		6.47	10.0	9407		
				4.06	4.12				4.95	5.0		4.0	8810		
<u></u> ;	::::			1.11 4.26	4.12				8.32 II.71			 IO.0	8774 8861		

VI. MISCELLANEOUS FERTILIZERS, LIME, ASHES, ETC. SHEEP MANURE.

- **9211.** Pulverized Sheep Manure. Sold by American Agricultural Chemical Co., New York City. Stock of Geo. S. Phelps & Co., Thompsonville.
- **9206.** Sheep Manure. Sold by L. T. Frisbie Co., New Haven. Sampled and sent by F. S. Burnett, New Haven.
- **9349.** Sheep Manure. Sold by L. T. Frisbie Co., New Haven. Stock of G. F. Peters & Son, Highwood.
- **9267.** Sheep's Head Pulverized Sheep Manure. Sold by Natural Guano Co., Aurora, Ill. Stock of Frank S. Platt Co., New Haven.
- **9270.** Wizard Brand Manure. Sold by Pulverized Manure Co., Chicago. Stock of Frank S. Platt Co., New Haven.
- **8896.** Pulverized Sheep Manure. Sampled and sent by H. E. Larsen, Mt. Carmel.
- 9713. Chicago Feed & Fertilizer Co.'s Ground Sheep Manure. For analysis see page 422.

Station No	9211	9206	9349	9267	9270	8896
•	0.70		0.70			
Nitrogen as nitrates	0.10	• • •	0.12			
as ammonia	0.14	٠	0.02	0.22	0.26	
" as organic	1.94		1.45	1.93	1.72	
" total found	2.18	2.07	1.59	2.15	1.98	2.31
" total guaranteed	2.06		0.82	2.25	1.80	
Phosphoric acid, water-soluble	1.04		0.17	0.76	0.85	
" citrate-soluble	0.36		1.67	0.79	0.50	
" citrate-insoluble	0.15		0.22	0.13	0.13	
" total found	1.55	2.52	2.06	1.68	1.48	2.99
" total guaranteed.	1.25		2.00	1.25	1.00	
Water-soluble potash found	1.81	0.97	0.74	3.14	2.00	1.03
" guaranteed	1.00		0.97	1.50	1.00	
Chlorin			0.08	0.38	0.90	
Cost per ton	\$38.00			31.00	31.00	35.00

These dried manures are chiefly of interest to florists and to greenhouse or lawn owners. As we have said in previous reports, they are out of the question for general farm use, because horse manure supplies three or four times as much plant food for the same money, and the extra vegetable matter should be supplied in farm crops and residues.

WOOD ASHES.

Twenty samples called "wood ashes" were analyzed. Three of these, 8862, 8811 and 8698, have the character of lime-kiln ashes and contain very little potash. The remaining samples are good, bad or indifferent. Nine samples contained from 4.7 to 6.8 per cent. of potash; four from 2.8 to 3.7 per cent., and four from 0.8 to 1.7 per cent.

The prices were exceedingly variable; for instance, \$9.00 per ton for material containing 2.8 per cent. of potash; \$16.00 for ashes containing 1.5 per cent. and \$27.50 for one containing 4.72 per cent. Certain of the higher grades were sold on the unit basis, the price ranging from \$4.50 to \$6.00 per unit of water-soluble potash.

The extreme variability in the potash content of wood ashes emphasizes the necessity of always buying it on a definite guaranty of water-soluble potash.

Only three of the samples were accompanied by a guaranty, 9372, 9025 and 8862. These were guaranteed 2.00, 5.03 and 3.00 per cent. of potash, respectively, and contained 1.50, 4.72 and 0.07 per cent.

HOUSEHOLD WASTES.

At the present time, when the prices for potash fertilizers are almost prohibitive, any available source of this important element is a matter of interest. Possibly few householders realize the fertilizer value of many of their household wastes which they usually throw away. The actual content of potash in any of these is small, but may be worth saving.

The samples, whose analyses are given in the accompanying table, were for the most part prepared by Prof. P. E. Browning, of Yale University, and submitted by him to us for analysis. It is to be regretted that the actual percentages of ash were not determined, as the information thus supplied would have been valuable. The results, however, are suggestive, and indicate how much valuable fertilizer material in the aggregate is thrown away by the American public. Many of these ashes could be prepared in the ordinary open fireplace of the average home and could be collected with the ashes from the wood there burned. The citrus fruit skins, because of their oil, burn readily, and our analyses show how rich in potash their ashes are. The analyses also suggest the utility of community incinerating plants as a means of conserving the important amounts of potash which some household wastes contain.

ANALYSES OF WOOD ASHES.

Cost per ton.	\$16.00 **: 27.50 **: 9.00 15.00 15.00
Phosphoric Acid.	1 . 2 2
Lime.	29.27 33.62 33.62 36.86 36.86 52.70 34.42 31.50
Water-soluble Potash.	0 4 4 3 5 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
ni əlduloznI (bnss) biəs	36.17 10.43 10.43 6.66 6.66 6.60 7.75 7.66 7.75 13.39 13.39 13.34
Water.	
Car No. and Purchaser or Dealer.	John Joynt, Lucknow, Ont. I. Lockwood, New Canaan. John Joynt, Lucknow, Ont. 1 203660 J. B. Lathrop, East Hartford Olds & Whipple, Hartford. 64531 J. B. Stewart, Windsor. Olds & Whipple, Hartford. 7813 B. P. Brewer, Silver Lane. Olds & Whipple, Hartford. 17976 C. F. Segee, East Hartford. Olds & Whipple, Hartford. 24976 John Wolf, Windsor. Olds & Whipple, Hartford. 24976 John Wolf, Windsor. Olds & Whipple, Hartford. 3719 W. S. Pinney, Suffield (John Joynt, Jr. E. Perkins, Warchouse Point. 29942 A. E. Pascoe, Warchouse Point. Jr. E. Perkins, Warchouse Point. 29942 A. E. Pascoe, Wethersfield. W. L. Mitchell, New Haven. Comstock, Ferre & Co., Wethersfield. W. L. Mitchell, New Haven. 76551 K. C. Kulle, Suffield. W. L. Mitchell, New Haven. 8507 K. C. Kulle, Suffield. Chas. Stevens, Napanec, Ont. Albert Carini, So. Glastonbury. Roy Hayes, Granby. E. H. Rollins, Granby. M. E. Crawford, New Canaan. N. Jones, So. Windsor. Conn. Sumatra Tobacco Co., Hartford.
.oN noitet2	9372 8949 8940 8950 8950 9020 9020 9314 8951 8951 8895 8895 8895 8895 8895 8895

* \$6 per unit of potash.

Analyses of the Ashes of Household Wastes.

	Phosphoric Acid.	Water-Soluble Potash.
Apple Skin Ash	3.08	11.74
Banana Skin Ash	3.25	41.76
Banana Stalk Ash (yellow)	2.34	49.40
Banana Stalk Ash (red)	3.04	46.64
Banana Stalk Ash (soluble salts)	ຶ ? ່	45.28
Banana Stalk juice, evaporated, acidified	1.91	35.58
Banana Stalk juice, evaporated	2.25	4020.*
Cantaloupe Rind Ash	9.77	12.21
Cigar and Cigarette Ashes	2.57	16.81
Coal Ashes, sifted	0.32	0.16
Coffee Grounds (percolated)	0.36	0.67†
Cucumber Skin Ash	11.28	27.20
Egg Shells, burned	0.43	0.29‡
Grape Fruit Skin Ash	3.58	30.64
Grape Fruit Skin Ash (soluble salts)	?	56.92
Maine Coast Kelp Ash	1.93	21.70
Orange Skin Ash	2.90	27.04
Peach Skin Ash	6.31	30.76
Peach Stone Ash	3.25	6.04
Peanut Shell Ash	1.23	6.45
Pea Pod Ash	1.79	9.00
String Beans Ash (stems and strings)	4.99	18.09
Sweet Potato Skin (boiled) Ash	3.29	13.89
Tea Leaves Ash	1.60	0.44
White Potato Skin (raw) Ash	5.18	27.54
Wood Ashes	1.06	6.41
Wood Ashes, after burning citrus fruit skins	1.13	3.22
CROHND I IMECTON	יבר	

GROUND LIMESTONE.

8686. Grangers' Lime Co., West Stockbridge, Mass. Stock of Walter Hine, Orange. Cost \$3.50 per ton.

8700. Grangers' Lime Co., West Stockbridge, Mass. Mesh." Stock of J. W. Alsop, Avon.

8736. Grangers' Lime Co., West Stockbridge, Mass. Mesh." Stock of H. K. Taylor, Griffins.

8709. Grangers' Lime Co., West Stockbridge, Mass. Mesh." Stock of W. J. Reeves, Windsorville.

9534. Grangers' Lime Co., West Stockbridge, Mass. Stock of S. Heath, New Canaan.

ANALYSES OF LIMESTONE.

Station No Per cent. of	8686	8700	8736	8709	9534
Lime	37.96	50.60	50.35	50.62	52.08
Magnesia	.8.54	§	§	§	0.77
Insoluble in acid	14.68	6.35	6.81	6.24	7.22

^{*} Contains also 0.45% nitrogen. † Contains also 1.99% nitrogen. ‡ Contains also 52.12% lime.

[§] Not determined.

8686 contains 67.72 per cent. of calcium carbonate and 17.85 per cent. of magnesium carbonate. The other four samples are quite pure calcitic limestones, containing from 89.84 to 92.91 per cent. of calcium carbonate.

HUMUS, MUCK, PEAT, ETC.

Two samples of commercial humus and five samples of muck were analyzed.

8685. Alphano Humus. Sent by Charles Henderson, Farmington. Cost \$10.00 per ton.

9062. Commercial Humus. Sent by Commercial Humus Co., Newark, N. J. Claimed to contain on dry basis; nitrogen 2.60, phosphoric acid 1.10, potash 0.51, lime 2.90, magnesia 0.50, ash 20.12, and organic matter 75 per cent.

8889. Sent by M. F. Dallen, Willimantic, from a deposit stated to be 20 feet deep, covering several acres.

9478, 9479, 9480. Sent by A. Sartore, Waterbury.

8769. Sent by G. L. Cass, So. Britain.

Station No	8685	9062	8889	9478	9479	9480	8769
Composition as received:							
Water	36.72	69.86	8.82	85.99	77.41	68.87	75.51
Mineral matter	22.32	9.83	10.72	1.28	3.18	2.81	11.55
Organic matter	40.96	20.31	80.46	12.73	19.41	28.32	12.94
Nitrogen	1.48	0.52	2.26	0.42	0.54	0.59	0.33
Phosphoric acid	1.11	0.02	*	*	*	*	*
Potash	*	0.03	*	*	*	*	*
Lime	4.19	*	*	*	*	*	*
Insoluble in acid	11.22	*	*	*	*	*	*
On water-free basis:							
Mineral matter	35.27	32.61	11.76	9.14	14.08	9.03	47.16
Organic matter	64.73	67.39	88.24	90.86	85.92	90.97	52.84
Nitrogen	2.19	1.73	2.48	3.00	2.39	1.90	1.35
Phosphoric acid	1.75	0.06	*	*	*	*	*
Potash	*	0.11	*	*	*	*	*

The two commercial samples contain much more mineral matter and, consequently, less vegetable matter than four of the samples from local deposits. It will be noted that 9062 contains less of all the ingredients claimed except mineral matter, containing only two-thirds of the nitrogen, one-twentieth of the phosphoric acid and one-fifth of the potash claimed.

^{*} Not determined.

TOBACCO WASTES.

- **8410.** Tobacco Stems. Sold by Olds and Whipple, Hartford. Sampled and sent by H. E. Wells, East Windsor Hill.
- **8851.** Tobacco Stems. Sampled and sent by A. T. Henry, Wallingford.
- **8850.** Tobacco Waste Ash. Sampled and sent by A. T. Henry, Wallingford.
- **8848.** Tobacco Dust. Sampled and sent by J. Rosenberg & Co., Hartford.
- **8702.** Tobacco Dust. Sampled and sent by Morgan & Dickinson, Windsor.

	8410	8851	8850	8848	8702
Nitrogen	1.97	2.80		2.78	1.64
Phosphoric acid	0.56	0.79	1.10	0.69	0.42
Potash, total	6.67	5.27	6.10	2.88	2.50

MISCELLANEOUS MATERIALS.

9339. Spent Hops. Sent by Arthur Mather, Hartford.

Water	70.50
Mineral matter	-
Organic matter	18.98
Nitrogen	0.81
Phosphoric acid	0.31
Potash	0.05

- 9141. Coffee Chaff. Sent by Morris West, Glastonbury. It contained nitrogen 1.92, phosphoric acid 0.15 and potash 1.63 per cent.
- **8959.** Coffee Grounds. Waste from manufacture of G. Washington Coffee. Sent by manufacturer.

Nitrogen	0.81
Phosphoric acid	0.016
Potash	0.166
Water	60.50

8952. Ground Star Fish. Sent by F. L. Homan, New Haven.

Nitrogen	4.48
Phosphoric acid	0.42
Lime	24.32

8953. Musselizer ("Mussel Mud," "Nature's Own Fertilizer"). Sold by Agricultural Development Co., Lewiston, Me. Sent by F. P. Hubbard, Middletown.

8854. Marsh and Marine Mud. Sent by G. D. Tillinghast, Westerly.

	8953	8854
Nitrogen	0.82	0.28
Phosphoric acid		0.09
Potash	0.18	0.03

8832. Kelp. Sent by E. E. Burwell, New Haven. It contained nitrogen 1.83, phosphoric acid 0.64 and potash 2.64 per cent.

8749. Chimney Soot. Sent by Donahoe Bros., Middletown. It contained 0.31 per cent. of nitrogen.

8759. Ashes from factory sweepings. Sent by Waterbury Mfg. Co., Waterbury. It contained 0.08 per cent. of potash and 70.02 per cent. of material insoluble in acid. Copper was present.

9280. Lye used for cleaning type. Sent by W. C. Sharpe, Seymour. It contained 0.34 per cent. of potash, no nitrogen, traces of phosphoric acid and sulphates, and much carbonate. Its reaction was strongly alkaline.

8855. Sample apparently incorrectly tagged "Dry Ground Fish." Stock of George S. Phelps Co., Thompsonville. A mixed fertilizer of unknown brand. It contained 5.15 nitrogen, 8.18 "available" phosphoric acid, 9.54 total phosphoric acid and 0.86 per cent. potash.

SOILS.

Six samples of soils were tested for acidity. The details are of no general interest.

9713. Ground Sheep Manure. Sold by the Chicago Feed & Fertilizer Co., Chicago. Sampled and sent by the F. S. Platt Co., New Haven. Contained—nitrogen, 2.74; total phosphoric acid, 2.84; water-soluble potash, 2.07; guaranteed respectively 1.85, 1.50 and 1.25 per cent.









